

slabos

GENERAL CATALOGUE

2 0 2 6

APAVIS

No limits to space.
No limits to design

Argos Black	34	Noir Velvet	92
Ashen	8	Onice	128
Borghini	142	Orobico	148
Calacatta Lincoln	226	Patagonia	114
Cassero	162	Perlino	26
Emotion	180	Pietra Grey	48
Equinox	152	Roma Blue	122
Fluid	212	Statuario	136
Instinto	192	Sullivan	172
Junoon	206	Super Black	227
Lamiere	54	Super White	227
Lumen	82	Tattoo	72
Luna	100	Tierra	200
Mirror	218	Travertino	16
Mood	186	Wild Forest	106
Mystone	40	Zinc	62

Complementary Pieces - Piezas Complementarias	232
Linetop	222
Packing Slabs - Embalaje Slabs	233
Technical Specifications - Características Técnicas	234
Washbasins - Lavabos	228

	Metal Metal			Marble Mármol	Borghini142 Calacatta Lincoln226 Lumen82 Luna100 Noir Velvet92 Onice128 Orobico148 Patagonia114 Roma Blue122 Statuario136 Wild Forest106
	Stone Piedra	LaLamiere54 Mirror218 Tattoo72 Zinc62		Concrete Cemento	Cassero162 Emotion180 Equinox152 Instinto192 Mood186 Sullivan172
	Cotto Cotto	Argos Black34 Ashen8 Mystone40 Perlino26 Pietra Grey48 Travertino224		Wood Madera	Junoon196
	Resin Resina	Tierra200		Monocolor Monocolor	Super Black227 Super White227




Linatop

Encimeras

Calacatta Lincoln Polished	226
Equinox Grey Natural	224
Pietra Grey Polished	225
Statuario Extra White Natural & Polished	226
Super Black Natural	227
Super White Natural	227
Tattoo Oxidum Decor	225
Travertino Navona	224

Applications Aplicaciones



Floor & Wall

Pavimento y revestimiento

Argos Black	34	Noir Velvet	92
Ashen	8	Onice	128
Borghini	142	Orobico	148
Cassero	162	Patagonia	114
Emotion	180	Perlino	26
Equinox	152	Pietra Grey	48
Fluid	212	Roma Blue	122
Instinto	192	Statuario	136
Junoon	206	Sullivan	172
Lamiere	54	Tattoo	72
Lumen	82	Tierra	200
Luna	100	Travertino	16
Mirror	218	Wild Forest	106
Mood	186	Zinc	62
Mystone	40		



Wall

Revestimiento

Mirror Zinc Mix Polished	220
Mirror Aged Polished	220
Mirror Bronze, Gold, Purple, Silver & Blue Polished	220
Perlino Grey Chained	32
Perlino Marfil Chained	32
Perlino Marfil Matt	32
Tierra Sand Matt	204
Tierra Teja Matt	204
Tierra Sand Fiore	204
Tierra Teja Fiore	204
Travertino Blue Decor	24
Travertino Navona Matt	24



Washbasins

Lavabos

Nemesis	230
Suspended	230
Flow	231
Standing	231






Outdoor

Exterior






Ashen Grey Solid 2 CM	14
Emotion Grey Solid 2 CM	184
Equinox Grey Solid 2 CM	160
Junoon Beige Solid 2 CM	210
Junoon Maple Solid 2 CM	210
Lamiere Blue Solid 2 CM	60
Lamiere White Solid 2 cm	60
Mystone Grey Solid 2 CM	46
Mystone Ivory Solid 2 CM	46
Tattoo Black Decor Solid 2 CM	80
Travertino Navona Solid 2 CM	24
Travertino Titanium Solid 2 CM	24
Zinc Green Solid 2 CM	70




Concrete Cemento

	Cassero Anthracite 6 mm. 120x280 / 120x120 7 mm. 60x120	162		Equinox Grey 6 mm. 120x260 / 120x120 / 60x120 12 mm. 20 mm. 162x324 50x100	152		Sullivan Blue 6mm 120x280 / 120x120 7 mm. 60x120 / 60x60	172
	Cassero Grey 6 mm. 120x300 / 120x120 7 mm. 60x120	162		Equinox Ivory 6 mm. 120x280 / 120x120 / 60x120	152		Sullivan Ochre 6mm 120x280 / 120x120 7 mm. 60x120 / 60x60	172
	Cassero White 6 mm. 120x280 / 120x120 7 mm. 60x120	162		Equinox White 6 mm. 120x280 / 120x120 7 mm. 60x60 / 30x60	152		Sullivan Red 6mm 120x280 / 120x120 7 mm. 60x120 / 60x60	172
	Emotion Grey 6 mm. 120x260 / 120x120 20mm. 50x100 10 mm. 100x100 / 50x100 / 60x60 / 25x29	180		Instinto Taupe 6 mm. 120x260 / 120x120 / 60x120 7 mm. 90x90	192		Sullivan White 6mm 120x280 / 120x120 7 mm. 60x120 / 60x60	172
	Equinox Anthracite 6 mm. 120x280 / 120x120 / 60x120	152		Instinto White 6 mm. 120x260 / 120x120 / 60x120	192			
	Equinox Coral 6 mm. 120x280 / 120x120 / 60x120	152		Mood Green 6 mm. 120x260 / 120x120 10 mm. 100x100 / 50x100 / 60x60 / 30x60 / 25x29	186			





Stone
Piedra

	Argos Black Rigato 6 mm. 120x280 / 60x120	34		Mystone Grana 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120 / 100x100 / 50x100	40		Perlino Pink 6 mm. 120x280 / 120x120 / 60x120 10 mm. 50x100 / 60x60	26
	Ashen Beige 6 mm. 120x280 / 120x120 / 60x120 10 mm. 60x60	8		Mystone Grey 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120 / 100x100 / 50x100 20 mm. 50x100	40		Pietra Grey 6 mm. 120x260 / 120x120 12 mm. 162x324	48
	Ashen Grey 6 mm. 120x280 / 120x120 / 60x120 10 mm. 60x60 20 mm. 50x100	8		Mystone Ivory 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120 / 100x100 / 50x100 20 mm. 50x100	40		Travertino Navona 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120 / 45x120 / 60x60 20 mm. 50x100 12 mm. 162x324	16
	Ashen Ivory 6 mm. 120x280 / 120x120 / 60x120 10 mm. 60x60	8		Perlino Beige 6 mm. 120x280 / 120x120 / 60x120 10 mm. 50x100 / 60x60	26		Travertino Titanium 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120 / 60x60 20 mm. 50x100	16
	Ashen Taupe 6 mm. 120x280 / 120x120 / 60x120 10 mm. 60x60	8		Perlino Marfil 6 mm. 120x280 / 120x120 / 60x120 10 mm. 50x100 / 60x60 7 mm. 20x100	26		Travertino Blue 7 mm. 60x120 / 45x120 / 60x60	16

Metal
Metal

	Lamiere Blue 6 mm. 120x280 / 120x120 / 60x120 10 mm. 100x100 / 50x100 / 60x60 20 mm. 50x100	54
	Lamiere White 6 mm. 120x280 / 120x120 / 60x120 10 mm. 100x100 / 50x100 / 60x60 20 mm. 50x100	54
	Tattoo Black Decor 6 mm. 120x280 / 120x120 / 60x120 7 mm. 90x90 / 45x90 20 mm. 50x100	72
	Tattoo Oxidum Decor 6 mm. 120x280 / 120x120 / 60x120 7 mm. 90x90 / 45x90 12 mm. 162x324	72
	Tattoo White 6 mm. 120x280 / 120x120 / 60x120 7 mm. 90x90 / 45x90	72
	Zinc Black 6 mm. 120x280 / 120x120 7 mm. 60x120 / 60x60 / 30x60	62
	Zinc Cooper 6 mm. 120x280 / 120x120 7 mm. 60x120 / 60x60 / 30x60	62
	Zinc Green 6 mm. 120x280 / 120x120 7 mm. 60x120 / 60x60 / 30x60 20 mm. 50x100	62
	Mirror Blue 6 mm. 120x280 10 mm. 30x60	218
	Mirror Bonze 6 mm. 120x280 10 mm. 30x60	218
	Mirror Gold 6 mm. 120x280 10 mm. 30x60	218
	Mirror Purple 6 mm. 120x280 10 mm. 30x60	218
	Mirror Silver 6 mm. 120x280 10 mm. 30x60	218

Marble
Mármol

	Borghini White 6 mm. 120x260 / 120x120	142
	Calacatta Lincoln 12 mm. 162x324	220
	Lumen Ambar 6 mm. 120x280 / 120x120 / 60x120	82
	Lumen Ivory 6 mm. 120x280 / 120x120 / 60x120	82
	Luna Beige 6 mm. 120x280 / 120x120 7 mm. 60x120	100
	Noir Velvet Polished 6 mm. 120x280 / 120x120 / 60x120	92
	Onice Green 6 mm. 120x300 / 120x120	128
	Onice Salmón 6 mm. 120x300 / 120x120	128
	Orobico Red 6 mm. 120x260 / 120x120 7 mm. 60x120	148
	Patagonia Grey 6 mm. 120x280 / 120x120	114
	Roma Blue 6 mm. 120x260 / 120x120 7 mm. 60x120	122
	Statuario Extra White 6 mm. 120x260 / 120x120 12 mm. 162x324	136
	Wild Forest Grey 6 mm. 120x280 / 120x120 / 60x120 7 mm. 60x120	106

Cotto
Cotto

	Tierra Sand 6mm 120x280 / 120x120 7 mm. 60x120 / 30x90	200
	Tierra Teja 6mm 120x280 / 120x120 7 mm. 60x120 / 30x90	200
Resin Resina		
	Fluid Multicolor 6 mm. 120x280 / 120x120 7 mm. 90x90	212
Wood Madera		
	Junoon Beige 6 mm. 120x280 / 30x280 / 30x260 20 mm. 50x100	206
	Junoon Maple 6 mm. 120x280 / 30x280 / 30x260 20 mm. 50x100	206

Resin
Resina

Wood
Madera

Ashen


Taupe

Floor & walls

Outdoor



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"



60x60
23.44" x 23.44"



50x100
19.59" x 39.19"

Natural
6 mm

Natural
10 mm

Outdoor
20 mm

Ivory



Beige



Grey








Ashen Grey Natural 120x280 & Ashen Ivory Natural 120x120

Ashen



Taupe Natural




Ivory Natural

Beige Natural

Grey Natural


120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Ashen Ivory Natural	G-3365	
Ashen Beige Natural	G-3365	
Ashen Grey Natural	G-3365	
Ashen Taupe Natural	G-3365	
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Ashen Ivory Natural	G-3365	
Ashen Beige Natural	G-3365	
Ashen Grey Natural	G-3365	
Ashen Taupe Natural	G-3365	
60x120	59,55x119,3 cm - 23.44"x46.97"	6 mm
Ashen Ivory Natural	G-3365	
Ashen Beige Natural	G-3365	
Ashen Grey Natural	G-3365	
Ashen Taupe Natural	G-3365	

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986

Flow




L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics 	SIZE / Formato		Beige	Grey	Ivory	Taupe
			Natural	Natural	Natural	Natural
	29,75x29,75 cm	Mosaico 5x5	G-7558	G-7558	G-7558	G-7558
	11.71"x11.71"					

Listas 	SIZE / Formato		Beige	Grey	Ivory	Taupe
				Natural	Natural	Natural
	7,5x120	Listas	G-171	G-171	G-171	G-171
	7,5x60	Listas	G-6065	G-6065	G-6065	G-6065

Rodapie 	SIZE / Formato		Beige	Grey	Ivory	Taupe
			Natural	Natural	Natural	Natural
	7,5x120	Rodapie	G-187	G-187	G-187	G-187
	7,5x60	Rodapie	G-6071	G-6071	G-6071	G-6071

Gradone 	SIZE / Formato		Beige	Grey	Ivory	Taupe
			Natural	Natural	Natural	Natural
	30x280	Gradone	G-2909	G-2909	G-2909	G-2909
		Gradone Ángulo	G-2909	G-2909	G-2909	G-2909
	30x140	Gradone	G-2813	G-2813	G-2813	G-2813
	30x120	Gradone Ángulo	G-2813	G-2813	G-2813	G-2813
		Gradone	G-6559	G-6559	G-6559	G-6559
	60x60	Gradone Ángulo	G-6609	G-6609	G-6609	G-6609

Peldaño 	SIZE / Formato		Beige	Grey	Ivory	Taupe
			Natural	Natural	Natural	Natural
	30x280	Peldaño	G-2651	G-2651	G-2651	G-2651
		Peldaño Ángulo	G-2651	G-2651	G-2651	G-2651
	30x140	Peldaño	G-2461	G-2461	G-2461	G-2461
	30x120	Peldaño Ángulo	G-2461	G-2461	G-2461	G-2461
		Peldaño	G-6197	G-6197	G-6197	G-6197
	60x60	Peldaño Ángulo	G-6197	G-6197	G-6197	G-6197


2 Cm Peldaño L 	SIZE / Formato		Beige	Grey	Ivory	Taupe
	44x100	Peldaño "L"	-	G-6623	-	-

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
Solid 2 cm	R11	C	>0,42	>36	3
DIN 51130 - DIN 51097 - UNE-ENV 12633. Test done in Ashen Grey Natural 60x60. Average test result value on August 2025. Consult specific product test result value before supplying. DIN 51130 - DIN 51097 - UNE-ENV 12633. Prueba realizada sobre el Natural 50x100. Valor de media a fecha de Agosto de 2025. Consultar valor de un producto específico antes del suministro.					

Travertino

Navona


Linetop



162x324
63.8" x 127.6"


Natural
12 mm

Floor & walls



120x280
46.97"x110.24"

Natural & Rigato
6 mm



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"




60x120
23.44" x 46.97"



45x120
17.57" x 46.97"



60x60
23.44" x 23.44"



50x100
19.59" x 39.19"

Outdoor
20 mm

Navona Rigato



Titanium





Walls: Travertino Navona Rigato 120x280
Floor: Equinox Ivory Natural 120x120
Linotop 12 mm: Travertino Navona Natural 162x324



Travertino Titanium Natural 60x120



Travertino Navona 120x280 & 120x120



Walls: Travertino Titanium 120x280 & Navona Natural 120x280
Floor: Travertino Navona Natural 120x120

Travertino



Navona Natural



Navona Rigato

Titanium Natural

162x324 162x324 cm - 63.8"x127.6" **12 mm**
Travertino Navona Natural **G-3520**

120x280 119,3x280 cm - 46.97"x110.24" **6 mm**
Travertino Navona Natural **G-3381**
Travertino Titanium Natural **G-3381**
Travertino Navona Rigato **G-3391**

120x120 119,3x119,3 cm - 46.97"x46.97" **6 mm**
Travertino Navona Natural **G-3381**
Travertino Titanium Natural **G-3381**

60x120 59,55x119,3 cm - 23.45"x46.97" **6 mm**
Travertino Navona Rigato **G-3391**


60x120 59,55x119,3 cm - 23.45"x46.97" **7 mm**
Travertino Navona Natural **G-1282**
Travertino Titanium Natural **G-1282**
Travertino Blue Natural **G-1282**

45x120 44,63x119,30 cm - 17.57"x46.97" **7 mm**
Travertino Navona Matt **G-7180**
Travertino Blue Decor **G-7298**

60x60 59,55x59,55 cm - 23.62"x23.62" **7 mm**
Travertino Titanium Natural **G-1220**
Travertino Blue Natural **G-1220**
Travertino Navona Natural **G-1220**


SOLID 2 cm **50x100** 49,75x99,55 cm - 19.58"x39.19" **20 mm**
Travertino Navona Solid 2CM **G-9234**
Travertino Titanium Solid 2CM **G-9234**

Nemesis




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**
Nemesis Rigato **G-2986**

Suspended




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**
Suspended Rigato **G-2990**

Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**
Flow Rigato **G-2968**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**
Standing Rigato **G-2976**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics 	SIZE / Formato		Blue	Navona	Titanium
			Natural	Natural	Natural
	29,75x29,75 cm	Mosaico 5x5	G-1576	G-1576	G-1576
	11.71"x11.71"				

Listas 	SIZE / Formato		Blue	Navona	Titanium
			Natural	Natural	Natural
	7,5x120	Listas	-	G-171	G-171
	7,5x60	Listas	G-75	G-75	G-75

Rodapie 	SIZE / Formato		Blue	Navona	Titanium
			Natural	Natural	Natural
	7,5x120	Rodapie	-	G-187	G-187
	7,5x60	Rodapie	G-79	G-79	G-79

Gradone 	SIZE / Formato		Blue	Navona	Titanium
			Natural	Natural	Natural
	30x280 (6 mm)	Gradone	-	G-2909	G-2909
	30x140 (6 mm)	Gradone	-	G-2813	G-2813
	30x120 (6 mm)	Gradone	-	G-2813	G-2813
	30x120 (7 mm)	Gradone	G-693	G-693	G-693
	60x60 (7 mm)	Gradone	G-543	G-543	G-543

Peldaño 	SIZE / Formato		Blue	Navona	Titanium
			Natural	Natural	Natural
	30x280 (6 mm)	Peldaño	-	G-2651	G-2651
	30x140 (6 mm)	Peldaño	-	G-2461	G-2461
	30x120 (6 mm)	Peldaño	-	G-2461	G-2461
	30x120 (7 mm)	Peldaño	G-693	G-693	G-693
	60x60 (7 mm)	Peldaño	G-235	G-235	G-235

2 Cm Peldaño L 	SIZE / Formato		Blue	Navona	Titanium
	44x100	Peldaño "L"	-	G-6623	G-6623

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
Solid 2 cm	R11	C	>0,42	>36	3
DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Test done in Travertino Titanium Natural 60x60. Average test result value on January 2022. Consult specific product test result value before supplying. DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Prueba realizada sobre el producto Travertino Titanium Natural 60x60. Valor de media a fecha de Enero 2022. Consultar valor de un producto específico antes del suministro.					


Perlino

Marfil

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"



50x100
19.59" x 39.19"



60x60
23.44" x 23.44"



30x100
11.71" x 39.19"

Natural
6 mm

Natural
10 mm

Matt & Chained
7 mm

Pink



Beige







Perlino Pink Natural 120x120

Perlino



Marfil Natural




Pink Natural

Beige Natural

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Perlino Beige Natural	G-3365	
Perlino Marfil Natural	G-3365	
Perlino Pink Natural	G-3365	
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Perlino Beige Natural	G-3365	
Perlino Marfil Natural	G-3365	
Perlino Pink Natural	G-3365	
60x120	59,55x119,3 cm - 23.44"x46.97"	6 mm
Perlino Beige Natural	G-3365	
Perlino Marfil Natural	G-3365	
Perlino Pink Natural	G-3365	


50x100	49,75x99,55 cm - 19.59"x39.37"	10 mm
Perlino Beige Natural	G-7180	
Perlino Marfil Natural	G-7180	
Perlino Pink Natural	G-7180	
Perlino Beige Rigato	G-7180	
Perlino Marfil Rigato	G-7180	
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Perlino Beige Natural	G-7180	
Perlino Marfil Natural	G-7180	
Perlino Pink Natural	G-7180	
30x100	29,75x99,55 - 11.71"x39.17"	7 mm
Perlino Marfil Matt	G-7154	
Perlino Marfil Chained	G-7172	
Perlino Grey Chained	G-7172	

Nemesis




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**

Suspended




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics 	SIZE / Formato		Beige	Pink	Marfil
			Natural	Natural	Natural
	29,75x29,75 cm	Mosaico 5x5	G-7558	G-7558	G-7558
	11.71"x11.71"				

Listas 	SIZE / Formato		Beige	Pink	Marfil
			Natural	Natural	Natural
	7,5x120	Listas	G-171	G-171	G-171
	7,5x100	Listas	G-6111	G-6111	G-6111
	7,5x60	Listas	G-6065	G-6065	G-6065
	7,5x50	Listas	G-6065	G-6065	G-6065

Rodapie 	SIZE / Formato		Beige	Pink	Marfil
			Natural	Natural	Natural
	7,5x120	Rodapie	G-187	G-187	G-187
	7,5x100	Rodapie	G-6115	G-6115	G-6115
	7,5x60	Rodapie	G-6071	G-6071	G-6071
	7,5x50	Rodapie	G-6071	G-6071	G-6071

Gradone 	SIZE / Formato		Beige	Pink	Marfil
			Natural	Natural	Natural
	30x280	Gradone	G-2909	G-2909	G-2909
		Gradone Ángulo	G-2909	G-2909	G-2909
	30x140	Gradone	G-2813	G-2813	G-2813
	30x120	Gradone Ángulo	G-2813	G-2813	G-2813
	60x60	Gradone	G-6559	G-6559	G-6559
		Gradone Ángulo	G-6609	G-6609	G-6609

Peldaño 	SIZE / Formato		Beige	Pink	Marfil
			Natural	Natural	Natural
	30x280	Peldaño	G-2651	G-2651	G-2651
		Peldaño Ángulo	G-2651	G-2651	G-2651
	30x140	Peldaño	G-2461	G-2461	G-2461
	30x120	Peldaño Ángulo	G-2461	G-2461	G-2461
	60x60	Peldaño	G-6197	G-6197	G-6197
		Peldaño Ángulo	G-6197	G-6197	G-6197

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
DIN 51130 - DIN 51097 - UNE-ENV 12633. Test done in Perlino Grey Natural 50x100. Average test result <i>DIN 51130 - DIN 51097 - UNE-ENV 12633. Prueba realizada sobre el Natural 50x100. Valor de media a fecha de Agosto de 2025. Consultar valor de un producto específico antes del suministro.</i>					

Argos Black Rigato

Floor & walls




120x280
46.97"x110.24"



60x120
23.45"x46.97"

Rigato
6 mm

Black





Walls: Argos Black Rigato 120x280
Floor: Kangen White Natural 100x100


Argos Black Rigato



Black Rigato


120X280	119,3 x 280 cm - 46.97"x110.24"	6 mm
Argos Black Rigato		G-3391
60x120	59,55x119,3 cm - 23.44"x46.97"	6 mm
Argos Black Rigato		G-3391

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Rigato		G-2986

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Rigato		G-2990


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Rigato		G-2968

For custom sizes, please contact the sales department.
 Para medidas especiales consultar el departamento comercial.

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Rigato		G-2976




Walls: Argos Black Rigato 120x280
 Floor: Kangen White Natural 100x100

Mystone

Ivory

Floor & walls

Outdoor



Grey



Grana





Walls: Mystone Ivory Natural 120x260 Floor: Mystone Grana Natural 120x120



Mystone

PORCELAIN



Ivory Satin & Natural



Grey Satin & Natural

Grana Satin & Natural

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Mystone Ivory Satin	G-3314	
Mystone Grana Satin	G-3314	
Mystone Grey Satin	G-3314	

120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Mystone Ivory Satin	G-3314	
Mystone Grana Satin	G-3314	
Mystone Grey Satin	G-3314	

60x120	59,55x119,3 cm - 23.45"x46.97"	6 mm
Mystone Ivory Satin	G-3314	
Mystone Grana Satin	G-3314	
Mystone Grey Satin	G-3314	


60x120	59,55x119,3 cm - 23.45"x46.97"	7 mm
Mystone Ivory Natural	G-1304	
Mystone Grana Natural	G-1304	
Mystone Grey Natural	G-1304	

100x100	99,55x99,55 cm - 39.37"x39.37"	7 mm
Mystone Ivory Natural	G-1268	
Mystone Grana Natural	G-1268	
Mystone Grey Natural	G-1268	

50x100	49,75x99,55 cm - 19.69"x39.37"	7 mm
Mystone Ivory Natural	G-1220	
Mystone Grana Natural	G-1220	
Mystone Grey Natural	G-1220	


SOLID 2 cm	50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
	Mystone Ivory Solid 2CM	G-9234	
	Mystone Grey Solid 2CM	G-9234	

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural	G-2986	
Nemesis Satin	G-2988	

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural	G-2990	
Suspended Satin	G-2992	

Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural	G-2968	
Flow Satin	G-2973	

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural	G-2976	
Standing Satin	G-2978	


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics	SIZE / Formato		Grana		Grey		Ivory	
			Natural	Satin	Natural	Satin	Natural	Satin
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-1576	-	G-1576	-	G-1576	-

Rodapie	SIZE / Formato		Grana		Grey		Ivory	
			Natural	Satin	Natural	Satin	Natural	Satin
	7,5x120	Rodapie	G-131	G-187	G-131	G-187	G-131	G-187
	7,5x100	Rodapie	G-119	-	G-119	-	G-119	-
	7,5x60	Rodapie	G-79	-	G-79	-	G-79	-
	7,5x50	Rodapie	G-73	-	G-73	-	G-73	-

Lista	SIZE / Formato		Grana		Grey		Ivory	
			Natural	Satin	Natural	Satin	Natural	Satin
	7,5x120	Lista	-	G-171	-	G-171	-	G-171
	7,5x100	Lista	-	-	-	-	-	-
	7,5x60	Lista	G-75	-	G-75	-	G-75	-
	7,5x50	Lista	G-75	-	G-75	-	G-75	-

Gradone	SIZE / Formato		Grana		Grey		Ivory	
			Natural	Satin	Natural	Satin	Natural	Satin
	30x280	Gradone	-	G-2909	-	G-2909	-	G-2909
	30x140	Gradone	-	G-2813	-	G-2813	-	G-2813
	30x120	Gradone	G-693	G-2813	G-693	G-2813	G-693	G-2813
		Gradone Ángulo	G-749	G-2813	G-749	G-2813	G-749	G-2813
	100x100	Gradone	G-735	-	G-735	-	G-735	-
		Gradone Ángulo	G-779	-	G-779	-	G-779	-

Peldaño	SIZE / Formato		Grana		Grey		Ivory	
			Natural	Satin	Natural	Satin	Natural	Satin
	30x280	Peldaño	-	G-2651	-	G-2651	-	G-2651
	30x140	Peldaño	-	G-2461	-	G-2461	-	G-2461
	30x120	Peldaño	G-323	G-2461	G-323	G-2461	G-323	G-2461
		Peldaño Ángulo	G-337	G-2461	G-337	G-2461	G-337	G-2461
	100x100	Peldaño	G-559	-	G-559	-	G-559	-
		Peldaño Ángulo	G-623	-	G-623	-	G-623	-

2 Cm Peldaño L	SIZE / Formato	Grana	Grey	Ivory
	44x100 Peldaño "L"	-	G-6623	G-6623


Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
Satin	R10	•	>0,42	•	1
Solid 2 cm	R11	C	>0,42	>36	3

DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Test done in Mystone Ivory Natural 50x100 cm.
Average test result value on January 2022. Consult specific product test result value before supplying.

DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Prueba realizada sobre el producto Mystone Ivory Natural 50x100 cm. Valor de media a fecha de Enero 2022. Consultar valor de un producto específico antes del suministro.

Pietra Grey


Floor & walls



162x324
63.8" x 127.6"
Polished **12** mm



120x260
46.97"x102.4"
Polished & Natural **6** mm



120x120
46.97" x 46.97"

Grey





Private House - Ikasa Lagos Park
 España - Madrid
 Pietra Grey 120x120



Flora & Fauna
 Novosibirsk - Rusia
 Pietra Grey Natural 120x260
 Designer: Melnikova Olga

Pietra Grey




Grey Natural & Polished

162x324	162x324 cm - 63.8"x127.6"	12 mm
Pietra Grey Polished		G-3616
120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Pietra Grey Polished		G-3459
Pietra Grey Natural		G-3397
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Pietra Grey Polished		G-3459
Pietra Grey Natural		G-3397




Flora & Fauna
Novosibirsk - Russia
Pietra Grey Natural 120x260
Designer: Melnikova Olga

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986
Nemesis Polished		G-2988

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990
Suspended Polished		G-2992

Flow




L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968
Flow Polished		G-2973


Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976
Standing Polished		G-2978

For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Gradone 	Pietra Grey		
	SIZE / Formato		
	30x260	Gradone	Natural G-2909
	30x130	Gradone	Polished G-2911
			G-2813
			G-2829

Peldaño 	Pietra Grey		
	SIZE / Formato		
	30x260	Peldaño	Natural G-2651
	30x130	Peldaño	Polished G-2677
			G-2461
			G-2501


Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
	Pietra Grey Natural	R10	>0,42	>24	1
DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Test done in Pietra Grey Natural 120x120.			DIN 51130 -Prueba realizada sobre el producto Pietra Grey Natural120x120.		
Average test result value on April 2019.Consult specific product test result value before supplying.			Valor de media a fecha de Abril 2019. Consultar valor de un producto específico antes del suministro.		

Lamiere

Blue

Floor & walls

Outdoor



White






walls: Lamiere Blue Natural & Lamiere White Natural 120x280
floor: Lamiere White Natural 120x120



Lamiere



Blue Natural



White Natural

120x280	119,3 x 280 cm - 46.97" x 110.24"	6 mm
Lamiere Blue Natural	G-3381	
Lamiere White Natural	G-3381	

120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Lamiere Blue Natural	G-3381	
Lamiere White Natural	G-3381	

60x120	59,55x119,3 cm - 23.45"x46.97"	6 mm
Lamiere Blue Natural	G-3381	
Lamiere White Natural	G-3381	


100x100	99,55 x 99,55 cm - 39.19" x 39.19"	10 mm
Lamiere Blue Natural	G-7268	
Lamiere White Natural	G-7268	
Lamiere Green Natural	G-7268	

50x100	49,75 x 99,55 cm - 19.59"x39.19"	10 mm
Lamiere Blue Natural	G-7162	
Lamiere White Natural	G-7162	
Lamiere Green Natural	G-7162	

60x60	59,55 x 59,55 cm - 23.44"x23.44"	10 mm
Lamiere Blue Natural	G-7162	
Lamiere White Natural	G-7162	
Lamiere Green Natural	G-7162	


SOLID 2 cm	50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
	Lamiere Blue Solid 2 cm	G-9234	
	Lamiere White Solid 2 cm	G-9234	

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended





L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976


Mosaics 	SIZE / Formato		Blue	White	Green
	29,75x29,75 cm 11.71"x11.71" Mosaico 5x5		Natural G-7558	Natural G-7558	Natural G-7558
Rodapie 	SIZE / Formato		Blue	White	Green
	7,5x120 Rodapie		Natural G-187	Natural G-187	Natural -
	7,5x100 Rodapie		G-6115	G-6115	G-6115
	7,5x60 Rodapie		G-6089	G-6089	G-6089
	7,5x50 Rodapie		G-6071	G-6071	G-6071
Listas 	SIZE / Formato		Blue	White	Green
	7,5x120 Listas		Natural G-171	Natural G-171	Natural -
	7,5x100 Listas		G-6111	G-6111	G-6111
	7,5x60 Listas		G-6087	G-6087	G-6087
	7,5x50 Listas		G-6065	G-6065	G-6065
Gradone 	SIZE / Formato		Blue	White	Green
	30x280 Gradone		Natural G-2909	Natural G-2909	Natural -
	30x140 Gradone		G-2813	G-2813	-
	30x120 Gradone		G-2813	G-2813	-
	100x100 Gradone		G-6723	G-6723	G-6723
	50x100 Gradone		G-6655	G-6655	G-6655
	60x60 Gradone		G-6559	G-6559	G-6559
Peldaño 	SIZE / Formato		Blue	White	Green
	30x280 Peldaño		Natural G-2651	Natural G-2651	Natural -
	30x140 Peldaño		G-2461	G-2461	-
	30x120 Peldaño		G-2461	G-2461	-
	100x100 Peldaño		G-6541	G-6541	G-6541
	50x100 Peldaño		G-6337	G-6337	G-6337
	60x60 Peldaño		G-6197	G-6197	G-6197
2 Cm Peldaño L 	SIZE / Formato		Blue	White	Green
	44x100 Peldaño "L"		Solid 2 Cm G-6623	Solid 2 Cm G-6623	Solid 2 Cm -

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
	R10 R11	· C	>0,42 >0,42	>36 >36	1 3
DIN 51130 - DIN 51097 - UNE-ENV 12633. Test done in Lamiere Blue Natural 60x60. Average test result value on January 2022. Consult specific product test result value before supplying.			DIN 51130 - DIN 51097 - UNE-ENV 12633. Prueba realizada sobre el producto Lamiere Blue Natural 60x60. Valor de media a fecha de Enero de 2022. Consultar valor de un producto específico antes del suministro.		

Zinc


Green

Floor & walls



Natural 6 mm


Natural & Skin 7 mm



Outdoor 20 mm

Natural & Decor 10 mm

Copper





Private House
Russia - Gelendzhik
Zinc Green 120x280




Loom Hotel
Germany - Goppingen
Zinc Black 120x120






Zinc Cooper Skin 60x120 & Natural 120x120

Zinc



Green Natural, Polished & Skin



Black Natural & Skin

Copper Natural & Skin

Copper Natural & Skin

120x280 119,3x280 cm - 46.97"x110,24" **6 mm**
Zinc Green Natural **G-3413**
Zinc Black Natural **G-3413**

120x260 119,3x260 cm - 46.97"x102.4" **6 mm**
Zinc Copper Natural **G-3413**

120x120 119,3x119,3 cm - 46.97"x46.97" **6 mm**
Zinc Green Natural **G-3413**
Zinc Black Natural **G-3413**
Zinc Copper Natural **G-3413**

60x120 59,55x119,3cm - 23.44"x46.97" **7 mm**
Zinc Green Natural **G-1372**
Zinc Black Natural **G-1372**
Zinc Copper Natural **G-1372**
Zinc Green Skin **G-1372**
Zinc Black Skin **G-1372**
Zinc Copper Skin **G-1372**


60x60 59,55x59,55 cm - 23.44"x23.44" **7 mm**
Zinc Green Natural **G-1234**
Zinc Black Natural **G-1234**
Zinc Copper Natural **G-1234**

30x60 29,75x59,55 cm - 11.71"x23.44" **7 mm**
Zinc Green Natural **G-1202**
Zinc Black Natural **G-1202**
Zinc Copper Natural **G-1202**

Hexagon 25x29 cm - 9.84"x11.42" **10 mm**
Zinc Green Natural Hexagon **G-7230**
Zinc Green Mix Decor Hexagon **G-7254**


SOLID 2 cm **50x100** 49,75x99,55 cm - 19.58"x39.19" **20 mm**
Zinc Green Solid 2 cm **G-9234**

Nemesis




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**

Flow




L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**

Suspended



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Standing



L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.


Mosaics	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	29,75x29,75 cm 11.71"x11.71" Mosaico 5x5	G-1598	G-1598	G-1598

Decors	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	29,26x29,28 cm Decor Ramp	G-1942	G-1942	G-1942

Rodapie	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	7,5x120 Rodapie	G-187	G-187	G-187
	7,5x60 Rodapie	G-91	G-91	G-91

Listas	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	7,5x120 Listas	G-171	G-171	G-171
	7,5x60 Listas	G-89	G-89	G-89

Gradone	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	30x280 (6 mm) Gradone	G-2909	G-2909	G-2909
	30x140 (6 mm) Gradone	G-2813	G-2813	G-2813
	30x120 (7 mm) Gradone	G-767	G-767	G-767
	Gradone Ángulo	G-779	G-779	G-779
	Gradone	G-499	G-499	G-499
	Gradone Ángulo	G-559	G-559	G-559


Peldaño	SIZE / Formato	Green Natural	Black Natural	Copper Natural
	30x280 (6 mm) Peldaño	G-2651	G-2651	G-2651
	30x140 (6 mm) Peldaño	G-2461	G-2461	G-2461
	30x120 (7 mm) Peldaño	G-501	G-501	G-501
	Peldaño Ángulo	-	-	-
	30x60 (7 mm) Peldaño	G-163	G-163	G-163
	Peldaño Ángulo	G-179	G-179	G-179

2 Cm Peldaño L	SIZE / Formato	Green	Black	Copper
	44x100 Peldaño "L"	G-6623		

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	•	>0,42	>36	1
Solid 2 cm	R11	C	>0,42	>36	3
DIN 51130 - DIN 51097 - UNE-ENV 12633 Test done in Zinc Green Natural.60x60. Average test result value on June 2022. Consult specific product test result value before supplying.					
DIN 51130 - DIN 51097 - UNE-ENV 12633 Prueba realizada sobre el producto Zinc Green Natural 60x60. Valor de media a fecha de Junio de 2019. Consultar valor de un producto específico antes del suministro.					

Oxidum

Floor & walls




162x324
63.8" x 127.6"

Natural 12 mm




120x280
46.97"x110.24"

Natural 6 mm



120x260
46.97"x102.4"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"




90x90
35.22" x 35.22"

Decor & Natural 7 mm



45x90
17.57" x 35.22"

White



2 cm

50x100
19.59" x 39.19"

Outdoor 20 mm

Outdoor

Black





Tattoo White Natural 120x280



Villa Remseck
Stuttgart - Germany
Tattoo Oxidum Decor 120x280
Equinox Grey Natural 120x120
Architect's Office: Hoffmeister



Tattoo Black Decor 120x120




Private House
Italia - Maglie
Tattoo Oxidum Decor 120x120

Tattoo



Tattoo Oxidum Decor



Tattoo White Natural & Satin Tattoo Black Decor


162x324	162x324 cm - 63.78"x127.56"	12 mm
Tattoo Oxidum Decor	G-3574	
120x280	119,3 x 280 cm - 46.97" x 110.24"	6 mm
Tattoo Oxidum Decor	G-3413	
Tattoo White Natural	G-3365	
120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Tattoo Black Decor	G-3413	
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Tattoo Oxidum Decor	G-3413	
Tattoo Black Decor	G-3413	
Tattoo White Natural	G-3365	
60x120	59,55 x 119,3 cm - 23.45"x46.97"	6 mm
Tattoo Oxidum Decor	G-3413	
Tattoo Black Decor	G-3413	
Tattoo White Natural	G-3365	

90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Tattoo Oxidum Decor	G-1372	
Tattoo Black Decor	G-1372	
Tattoo White Satin	G-1372	

45x90	44.63x89,46 cm - 17.57"x35.22"	7 mm
Tattoo Oxidum Decor	G-1250	
Tattoo Black Decor	G-1250	
Tattoo White Satin	G-1250	


SOLID 2 cm	50x100	49,75x99,55 cm - 19.58"x39.19"	20 mm
	Tattoo Black Decor Solid 2 cm	G-9234	

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural	G-2986	

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural	G-2990	

Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural	G-2968	

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural	G-2976	


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics	SIZE / Formato		Oxidum	Black	White	
			Natural	Natural	Natural	Satin
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-1598	G-1598	-	G-1598

Rodapie	SIZE / Formato		Oxidum	Black	White	
			Natural	Natural	Natural	Satin
	7,5x120	Rodapie	G-187	G-187	G-187	-
	7,5x90	Rodapie	G-125	G-125		
	7,5x60	Rodapie	G-91	G-91	-	G-91

Listas	SIZE / Formato		Oxidum	Black	White	
			Natural	Natural	Natural	Satin
	7,5x120	Listas	G-171	G-171	G-171	-
	7,5x60	Listas	G-89	G-89	-	G-89
	7,5x90	Listas	G-109	G-109	-	G-109

Gradone	SIZE / Formato		Oxidum	Black	White	
			Natural	Natural	Natural	Satin
	30x280	Gradone	G-2909	G-2909	G-2909	-
	30x140	Gradone	G-2813	G-2813	G-2813	-
	45x90	Gradone	G-603	G-603	-	G-603
		Gradone Ángulo	G-623	G-623	-	G-623
	30x60	Gradone	G-499	G-499	-	G-499
		Gradone Ángulo	G-559	G-559	-	G-559

Peldaño	SIZE / Formato		Oxidum	Black	White	
			Natural	Natural	Natural	Satin
	30x280	Peldaño	G-2651	G-2651	G-2651	-
	30x140	Peldaño	G-2461	G-2461	G-2461	-
	45x90	Peldaño	G-303	G-303	-	G-303
		Peldaño Ángulo	G-315	G-315	-	G-315
	30x60	Peldaño	G-163	G-163	-	G-163
		Peldaño Ángulo	G-179	G-179	-	G-179

2 Cm Peldaño L	SIZE / Formato		Oxidum	Black	White	
			-	G-6623	-	
	44x100	Peldaño "L"	-	G-6623	-	


Technical Data		UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Decor	R10	•		>0,42	>36	1
Natural	R10	•		>0,42	>36	1
Satinado	R10	•		>0,42	>36	1
Solid 2 cm	R11	C		>0,42	>36	3
DIN 51130 - DIN 51097 - UNE-ENV 12633 - Test done in Tattoo Oxidum Decor 45x90. Average test result value on April 2019. Consult specific product test result value before supplying.						
DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Tattoo Oxidum Decor 45x90. Valor de media a fecha de Abril de 2019. Consultar valor de un producto específico antes del suministro.						

Lumen

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Polished
6 mm

Ambar

Ivory








Lumen Ivory Polished 120x280



Lumen



Ambar Polished



Ivory Polished

120x280 119,3x280 cm - 46.97"x110.24" **6 mm**
Lumen Ambar Polished **G-3413**
Lumen Ivory Polished **G-3413**


120x120 119,3x119,3 cm - 46.97"x46.97" **6 mm**
Lumen Ambar Polished **G-3413**
Lumen Ivory Polished **G-3413**

60x120 59,55x119,3 cm - 23.44"x46.97" **6 mm**
Lumen Ambar Polished **G-3413**
Lumen Ivory Polished **G-3413**




Lumen Ivory Polished 120x280

Nemesis




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Polished **G-2988**

Flow




L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Polished **G-2973**

Suspended



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Polished **G-2992**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Polished **G-2978**

For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Rodapie	SIZE / Formato		Ambar Polished	Ivory Polished
	7,5x120	Rodapie	G-209	G-209
Listas	SIZE / Formato		Ivory Polished	Taupe Polished
	7,5x120	Lista	G-187	G-187
Gradone	SIZE / Formato		Ivory Polished	Taupe Polished
	30x280	Gradone	G-2911	G-2911
		Gradone Ángulo	G-2911	G-2911
	30x140	Gradone	G-2829	G-2829
	30x120	Gradone Ángulo	G-2829	G-2829
Peldaño	SIZE / Formato		Ivory Polished	Taupe Polished
	30x280	Peldaño	G-2677	G-2677
		Peldaño Ángulo	G-2677	G-2677
	30x140	Peldaño	G-2501	G-2501
	30x120	Peldaño Ángulo	G-2501	G-2501

Noir Velvet

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Natural & Polished
6 mm

Black








Noir Velvet Natural 120x280



Noir Velvet Bookmatch Polished 120x280

Noir Velvet



Noir Velvet Natural & Polished Mix


120x280	119,3 x 280 cm - 46.97" x 110.24"	6 mm
Noir Velvet Polished BL-A		G-3413
Noir Velvet Polished BL-B		G-3413
Noir Velvet Natural Mix		G-3381
Noir Velvet Polished Mix		G-3413
120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Noir Velvet Natural Mix		G-3381
Noir Velvet Polished Mix		G-3413
60x120	59,55 x 119,3 cm - 23.44"x46.97"	6 mm
Noir Velvet Natural Mix		G-3381
Noir Velvet Polished Mix		G-3413



B


A

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990
Suspended Polished		G-2992

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976
Standing Polished		G-2978

Rodapie	SIZE / Formato		Noir Velvet	
			Natural	Polished
	7,5x120	Rodapie	G-187	G-209
Listas	SIZE / Formato		Noir Velvet	
			Natural	Polished
	7,5x120	Listas	G-171	G-187
Gradone	SIZE / Formato		Noir Velvet	
			Natural	Polished
	30x280	Gradone	G-2909	G-2911
	30x140	Gradone	G-2813	G-2829
Peldaño	SIZE / Formato		Noir Velvet	
			Natural	Polished
	30x280	Peldaño	G-2651	G-2677
	30x140	Peldaño	G-2461	G-2501

Luna

Beige

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Natural
6 mm

Natural & Polished
7 mm

Beige





Luna




Beige Natural

120x280	119,3 x 280 cm - 46.97" x 110.24"	6 mm
Luna Beige Natural		G-3381
120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Luna Beige Natural		G-3381
60x120	59,55x119,3 cm - 23.44"x46.97"	7 mm
Luna White Natural		G-1304
Luna Beige Natural		G-1304
Luna Multicolor Natural		G-1304
Luna Multicolor Polished		G-1410




Private House
Latvia - Riga
Luna Beige Natural 60x120

Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**

Mosaics 	SIZE / Formato		Beige Natural	Multicolor Natural	White Natural
	29,75x29,75 cm	Mosaico 5x5	G-1638	G-1638	G-1638
11.71"x 11.71"					
Rodapie 	SIZE / Formato		Beige Natural	Multicolor Natural	White Natural
	7,5x120	Rodapie	G-187	G-131	G-131
Listas 	SIZE / Formato		Beige Natural	Multicolor Natural	White Natural
	7,5x120	Lista	G-171	-	-
Gradone 	SIZE / Formato		Beige Natural	Multicolor Natural	White Natural
	30x280	Gradone	G-2909	-	-
	30x140	Gradone	G-2813	-	-
	30x120	Gradone	G-693	G-693	G-693
	30x120	Gradone Ángulo	G-749	G-749	G-749
Peldaño 	SIZE / Formato		Beige Natural	Multicolor Natural	White Natural
	30x280	Peldaño	G-2651	-	-
	30x140	Peldaño	G-2461	-	-
	30x120	Peldaño	G-323	G-323	G-323
	30x120	Peldaño Ángulo	G-337	G-337	G-337

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
DIN 51130 - DIN 51097 - UNE-ENV 12633. - Test done in Luna Beige Natural 60x120. Average test result value on August 2024. Consult specific product test result value before supplying. Valor de media a fecha de Agosto de 2024. Consultar valor de un producto específico antes del suministro.					

Wild Forest

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"



60x120
23.44" x 46.97"

Natural & Polished
6 mm

Polished
7 mm

Grey





Private Appartment
Kiev - Ukraine
Wild Forest Grey Polished Mix 120x280
Architect: Andrey Kostyuchenko
Photographer: Andrey Avdeenko Private Appartment



Wild Forest Grey Polished A+B+C 120X280 & Wild Forest Grey Polished Mix 120X120



Wild Forest Grey Polished Mix 120x120 & Borghini White Polished 120X260

Wild Forest




Wild Forest Natural & Polished

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Wild Forest Grey Polished Mix		G-3459
Wild Forest Grey Natural Mix		G-3397
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Wild Forest Grey Polished Mix		G-3459
Wild Forest Grey Natural Mix		G-3397
60x120	59,55x119,3 cm - 23.45"x46.97"	6 mm
Wild Forest Grey Natural Mix		G-3397
60x120	59,55x119,3 cm - 23.45"x46.97"	7 mm
Wild Forest Grey Polished		G-1442




Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990
Suspended Polished		G-2992

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976
Standing Polished		G-2978

Rodapie	SIZE / Formato		Wild Forest Grey	
			Natural	Polished
	7,5x120	Rodapie	G-187	G-209
Listas	SIZE / Formato		Wild Forest Grey	
			Natural	Polished
	7,5x120	Listas	G-171	G-187
Gradone	SIZE / Formato		Wild Forest Grey	
			Natural	Polished
	30x280	Gradone	G-2909	G-2911
	30x140	Gradone	G-2813	G-2829
Peldaño	SIZE / Formato		Wild Forest Grey	
			Natural	Polished
	30x280	Peldaño	G-2651	G-2677
	30x140	Peldaño	G-2461	G-2501


Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Wild Forest Natural	R9	•	>0,42	>24	1
DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Test done in Wild Forest Natural 120x120. Average test result value on April 2019. Consult specific product test result value before supplying.			DIN 51130 / BS EN 13036-4 / UNE-ENV 12633. Prueba realizada sobre el producto Wild Forest Natural 120x120. Valor de media a fecha de Abril 2019. Consultar valor de un producto específico antes del suministro.		

Patagonia

Floor & walls




120x280
46.97"x110.24"



120x120
46.97" x 46.97"

Polished
6 mm

Grey






Patagonia Grey Polished 120x300 & Onice Salmon Polished 120x280



Patagonia Grey Polished 120x280

Patagonia



Grey Polished


120x280 119,3x280 cm - 46.97"x110.24" **6 mm**
Patagonia Grey Polished **G-3459**

120x120 119,3x119,3 cm - 46.97"x46.97" **6 mm**
Patagonia Grey Polished **G-3459**




Private House
Uruguay - Montevideo
Patagonia Grey Polished

Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Polished **G-2988**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Polished **G-2973**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended





L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Polished **G-2992**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Polished **G-2978**

Rodapie 	SIZE / Formato		Grey
	7,5x120	Rodapie	Polished G-209
Listas 	SIZE / Formato		Grey
	7,5x120	Listas	Polished G-187
Gradone 	SIZE / Formato		Grey
	30x280	Gradone	Polished G-2911
	30x140	Gradone	G-2829
Peldaño 	SIZE / Formato		Patagonia
	30x280	Peldaño	Polished G-2677
	30x140	Peldaño	G-2501

Roma Blue

Blue

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Polished
6 mm


Natural & Polished
7 mm





Roma Blue Polished 120x280 & Cassero Grey 120x280 & 120x120

Roma Blue




Roma Blue Polished

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Roma Blue Polished		G-3413
120x120	119,3 x 119,3 cm - 46.97" x 46.97"	6 mm
Roma Blue Polished		G-3413
60x120	59,55x119,3 cm - 23.45"x46.97"	7 mm
Roma Blue Natural		G-1304
Roma Blue Polished		G-1410




Roma Blue Natural 120x280

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Polished		G-2992

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976
Standing Polished		G-2978

Rodapie	SIZE / Formato		Roma Blue	
			Natural	Polished
	7,5x120	Rodapie	-	G-209

Listas	SIZE / Formato		Roma Blue	
			Natural	Polished
	7,5x120	Listas	-	G-187

Gradone	SIZE / Formato		Roma Blue	
			Natural	Polished
	30x280	Gradone	-	G-2911
	30x140	Gradone	-	G-2829
	30x120	Gradone	-	G-2829

Peldaño	SIZE / Formato		Roma Blue	
			Natural	Polished
	30x280	Peldaño	-	G-2677
	30x140	Peldaño	-	G-2501
	30x120	Peldaño	-	G-2501

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Roma Blue Natural	R10	•	>0,42	>24	1
DIN 51130 / DIN 51097 / UNE-ENV 12633. Test done in Roma Blue Natural 60x120 cm. Average test result value on March 2023. Consult specific product test result value before supplying.			DIN 51130 / DIN 51097 / UNE-ENV 12633 - Prueba realizada sobre el producto Roma Blue Natural 60x120 cm. Valor de media a fecha de Marzo 2023. Consultar valor de un producto específico antes del suministro.		


Onice

Salmon

Floor & walls



120x300
46.97" x 118.11"



120x120
46.97" x 46.97"



60x60
23.62" x 23.62"

Polished
6 mm

Decor Polished
7 mm

Green







Onice Salmon Polished 120x300, & Onice Green Polished 120x120

Onice



Salmon Polished




Green Polished

120x300	119,3x300 cm - 46.97"x118.11"	6 mm
Onice Green Polished	G-3467	
Onice Salmon Polished	G-3467	

120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Onice Green Polished	G-3467	
Onice Salmon Polished	G-3467	


60x60	59,55x59,55 cm - 23.62"x23.62"	7 mm
Onice Ambar Decor Polished	G-1314	

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Polished		G-2992


Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Polished		G-2978


Rodapie 	SIZE / Formato		Salmon	Green
			Polished	Polished
	7,5x120	Rodapie	G-209	G-209

Listas 	SIZE / Formato		Salmon	Green
			Polished	Polished
	7,5x120	Listas	G-187	G-187

Gradone 	SIZE / Formato		Salmon	Green
			Polished	Polished
	30x300	Gradone	G-2911	G-2911
	30x150	Gradone	G-2829	G-2829


Peldaño 	SIZE / Formato		Salmon	Green
			Polished	Polished
	30x300	Peldaño	G-2677	G-2677
	30x150	Peldaño	G-2501	G-2501

Statuario



Extra White


Linetop



162x324
63.8" x 127.6"


Natural & Polished
12 mm

Floor & walls




120x260
46.97"x102.4"

Polished
6 mm




120x120
46.97" x 46.97"





Statuario




Extra White Polished Mix

162x324	162x324 cm - 63.8"x127.6"	12 mm
Statuario Extra White Bookmatch Polished A+B		G-3654
Statuario Extra White Bookmatch Natural A+B		G-3620
120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Statuario Extra White Polished Mix		G-3467
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Statuario Extra White Polished Mix		G-3467




Statuario Extra White Polished 120x280

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended





L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990
Suspended Polished		G-2992

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976
Standing Polished		G-2978


Rodapie 	SIZE / Formato		Statuario
	7,5x120	Rodapie	Polished G-209
Listas 	SIZE / Formato		Statuario
	7,5x120	Listas	Polished G-187
Gradone 	SIZE / Formato		Statuario
	30x260	Gradone	Polished G-2911
	30x130	Gradone	G-2829
Peldaño 	SIZE / Formato		Statuario
	30x260	Peldaño	Polished G-2677
	30x130	Peldaño	G-2501

Borghini

Floor & walls



120x260
46.97" x 102.4"



120x120
46.97" x 46.97"

Polished
6 mm

White





Private House
Spain - Guipuzkoa
Borghini White Polished 120x120
Architect: Ricardo Vea
Coordination: Adriana Azpiroz

Borghini



White Polished


120x260 119,3x260 cm - 46.97"x102.4" **6 mm**
Borghini White Polished **G-3467**

120x120 119,3x119,3 cm - 46.97"x46.97" **6 mm**
Borghini White Polished **G-3467**




Private House
Spain - Guipuzkoa
Borghini White Polished 120x120
Architect: Ricardo Vea
Coordination: Adriana Azpiroz

Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Polished **G-2988**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Polished **G-2973**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended





L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Polished **G-2992**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Polished **G-2978**


Rodapie 	SIZE / Formato		Borghini
	7,5x120	Rodapie	Polished G-209
Listas 	SIZE / Formato		Borghini
	7,5x120	Listas	Polished G-187
Gradone 	SIZE / Formato		Borghini
	30x260	Gradone	Polished G-2911
	30x130	Gradone	G-2829
Peldaño 	SIZE / Formato		Borghini
	30x260	Peldaño	Polished G-2677
	30x130	Peldaño	G-2501

Orobico

Floor & walls



120x260
46.97"x102.4"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Polished
6 mm

Natural
7 mm

Red



Orobico




Red Polished

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Orobico Red Polished		G-3467
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Orobico Red Polished		G-3467
60x120	59,55x119,3 cm - 35.22"x35.22"	7 mm
Orobico Red Natural		G-1352




Orobico Red Polished 120x120

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Polished		G-2988


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Polished		G-2973


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Polished		G-2992


Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Polished		G-2978

Rodapie 	SIZE / Formato		Orobico
	7,5x120	Rodapie	Polished G-209


Listas 	SIZE / Formato		Orobico
	7,5x120	Listas	Polished G-187

Gradone 	SIZE / Formato		Orobico
	30x260	Gradone	Polished G-2911
	30x130	Gradone	G-2829

Peldaño 	SIZE / Formato		Orobico
	30x260	Peldaño	Polished G-2677
	30x130	Peldaño	G-2501

Ivory

Floor & walls



Coral



Grey



White



Anthacite







Walls: Junoon Maple Natural 120x280
Floor: Equinox Ivory Natural 120x120




Restaurant Fernand Cina
Switzerland - Salgesch
Equinox Anthracite Natural 120x120



Buwog Office
Austria - Viena
Equinox White 120x120

Equinox



Ivory Natural



Coral Natural

Grey Natural

White Natural

Anthracite Natural

162x324 162x324 cm - 63.8"x127.6" **12 mm**
Equinox Grey Natural **G-3520**

120x280 119,3 x 280 cm - 46.97" x 110.24" **6 mm**
Equinox Coral Natural **G-3381**
Equinox Ivory Natural **G-3381**
Equinox Anthracite Natural **G-3381**
Equinox White Natural **G-3381**

120x260 119,3x260 cm - 46.97"x102.4" **6 mm**
Equinox Grey Natural **G-3381**

120x120 119,3 x 119,3 cm - 46.97" x 46.97" **6 mm**
Equinox Coral Natural **G-3381**
Equinox Ivory Natural **G-3381**
Equinox Anthracite Natural **G-3381**
Equinox White Natural **G-3381**
Equinox Grey Natural **G-3381**

60x120 59,55 x 119,3 cm - 23.44"x46.97" **6 mm**
Equinox Coral Natural **G-3381**
Equinox Ivory Natural **G-3381**
Equinox Anthracite Natural **G-3381**
Equinox Grey Natural **G-3381**


60x60 59,55x59,55 cm - 23.62"x23.62" **7 mm**
Equinox White Satin **G-1180**

30x60 29,75x59,55 cm - 11.71"x23.45" **7 mm**
Equinox White Satin **G-1162**

50x100 49,75x99,55 cm - 19.59"x39.37" **20 mm**
Equinox Grey Solid 2 cm **G-9234**


SOLID
2 cm

Nemesis




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**

Suspended




L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**

Standing



L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**

For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Rodapie	SIZE / Formato		Anthracite	Coral	Grey	Ivory	White	
			Natural	Natural	Natural	Natural	Natural	Satin
			G-187	G-187	G-187	G-187	G-187	-
	7,5x120	Rodapie	-	-	-	-	-	G-93
	7,5x60	Rodapie	-	-	-	-	-	G-93

Listas	SIZE / Formato		Anthracite	Coral	Grey	Ivory	White	
			Natural	Natural	Natural	Natural	Natural	Satin
			G-171	G-171	G-171	G-171	G-171	-
	7,5x120	Listas	-	-	-	-	-	G-87
	7,5x60	Listas	-	-	-	-	-	G-87

Gradone	SIZE / Formato		Anthracite	Coral	Grey	Ivory	White	
			Natural	Natural	Natural	Natural	Natural	Satin
			G-2909	G-2909	G-2909	G-2909	G-2909	-
	30x280	Gradone	G-2909	G-2909	G-2909	G-2909	G-2909	-
	30x260	Gradone	G-2909	G-2909	G-2909	G-2909	G-2909	-
	30x140	Gradone	G-2813	G-2813	G-2813	G-2813	G-2813	-
	30x130	Gradone	G-2813	G-2813	G-2813	G-2813	G-2813	-
	60x60	Gradone	-	-	-	-	-	G-543
		Gradone Ángulo	-	-	-	-	-	G-599
		Gradone	-	-	-	-	-	G-499
	30x60	Gradone Ángulo	-	-	-	-	-	G-559

Peldaño	SIZE / Formato		Anthracite	Coral	Grey	Ivory	White	
			Natural	Natural	Natural	Natural	Natural	Satin
			G-2651	G-2651	G-2651	G-2651	G-2651	-
	30x280	Peldaño	G-2651	G-2651	G-2651	G-2651	G-2651	-
	30x260	Peldaño	G-2651	G-2651	G-2651	G-2651	G-2651	-
	30x140	Peldaño	G-2461	G-2461	G-2461	G-2461	G-2461	-
	30x130	Peldaño	G-2461	G-2461	G-2461	G-2461	G-2461	-
		Peldaño	-	-	-	-	-	G-227
	60x60	Peldaño Ángulo	-	-	-	-	-	G-251
		Peldaño	-	-	-	-	-	G-161
	30x60	Peldaño Ángulo	-	-	-	-	-	G-171

2 Cm Peldaño L	SIZE / Formato		Grey					
			Solid 2 Cm					
			G-6623					
	44x100	Peldaño "L"	-	-	-	-	-	-

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	1
Satin	R10	•	>0,42	>36	1
Solid 2 cm	R11	C	>0,42	>36	3
DIN 51130 - DIN 51097 - UNE-ENV 12633. Test done in Equinox Anthracite Natural 60x60.			DIN 51130 - DIN 51097 - UNE-ENV 12633. Prueba realizada sobre el producto Equinox Antracite Natura 60x60.		
Average test result value on January 2020. Consult specific product test result value before supplying.			Valor de media a fecha de Enero de 2020. Consultar valor de un producto específico antes del suministro.		


Cassero

Grey


Floor & walls



120x300
46.97" x 118.11"



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Natural
6 mm

Natural
7 mm

White



Anthracite









Cassero



Grey Natural




White Natural

Anthracite Natural

120x300	119,3x300 cm - 46.97"x118.11"	6 mm
Cassero Grey Natural		G-3381
120x280	119,3 x 280 cm - 46.97" x 110.24"	6 mm
Cassero White Natural		G-3381
Cassero Anthracite Natural		G-3381
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Cassero White Natural		G-3381
Cassero Grey Natural		G-3381
Cassero Anthracite Natural		G-3381


60x120	59,55x119,3 cm - 23.44"x46.97"	7 mm
Cassero White Natural		G-1304
Cassero Grey Natural		G-1304
Cassero Anthracite Natural		G-1304

Nemesis



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986


Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Standing





L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976

Mosaics	SIZE / Formato	White Natural	Grey Natural	Anthracite Natural
	29,75x29,75 cm 11.71"x 11.71"	Mosaico 5x5	G-1616	G-1616

Rodapie	SIZE / Formato	White Natural	Grey Natural	Anthracite Natural
	7,5x120	Rodapie	G-187	G-187

Listas	SIZE / Formato	White Natural	Grey Natural	Anthracite Natural
	7,5x120	Listas	G-171	G-171


Gradone	SIZE / Formato	White Natural	Grey Natural	Anthracite Natural
	30x280	Gradone	G-2909	G-2909
	30x140	Gradone	G-2813	G-2813

Peldaño	SIZE / Formato	White Natural	Grey Natural	Anthracite Natural
	30x280	Peldaño	G-2651	G-2651
	30x140	Peldaño	G-2461	G-2461

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	B	>0,42	>36	2
DIN 51130 - DIN 51097 - UNE-ENV 12633. - Test done in Cassero Grey Natural 60x120. Average test result value on January 2021. Consult specific product test result value before supplying.			DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Cassero Grey Natural 60x120. Valor de media a fecha de Enero de 2021. Consultar valor de un producto específico antes del suministro.		

Blue

Floor & walls



120x280
46.97"x110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"



60x60
23.44" x 23.44"

Natural
6 mm

Natural
7 mm

White



Red






Wall: Sullivan Red Natural 120x280 and Sullivan White Natural 120x280
Floor: Sullivan White Natural 120x120



Wall: Sullivan White Natural 60x120
Floor: Sullivan Blue Natural 60x120 & Mosaic 5x5

Sullivan



Blue Natural




White Natural

Red Natural

120x280	119,3x280 cm - 46,97"x110,24"	6 mm
Sullivan White Natural	G-3314	
Sullivan Blue Natural	G-3314	
Sullivan Red Natural	G-3314	


60x120	59,55x119,3 cm - 23.44"x46.97"	7 mm
Sullivan Ochre Natural	G-1304	
Sullivan White Natural	G-1304	
Sullivan Blue Natural	G-1304	
Sullivan Red Natural	G-1304	
60x60	59,55x59,55 cm - 23.44"x23.44"	7 mm
Sullivan Ochre Natural	G-1220	
Sullivan White Natural	G-1220	
Sullivan Blue Natural	G-1220	
Sullivan Red Natural	G-1220	

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics 	SIZE / Formato		Blue	Ochre	Red	White
			Natural	Natural	Natural	Natural
	29,75x29,75 cm	Mosaico 5x5	G-1576	G-1576	G-1576	G-1576
	11.71"x 11.71"					

Rodapie 	SIZE / Formato		Blue	Ochre	Red	White
			Natural	Natural	Natural	Natural
	7,5x120 (6 mm)	Rodapie	G-187	-	G-187	G-187
	7,5x120 (7 mm)	Rodapie	G-131	G-131	G-131	G-131
	7,5x60 (7 mm)	Rodapie	G-79	G-79	G-79	G-79

Listas 	SIZE / Formato		Blue	Ochre	Red	White
			Natural	Natural	Natural	Natural
	7,5x120 (6 mm)	Listas	G-171	-	G-171	G-171
	7,5x120 (7 mm)	Listas	-	-	-	-
	7,5x60 (7 mm)	Listas	-	-	-	-


Gradone 	SIZE / Formato		Blue	Ochre	Red	White
			Natural	Natural	Natural	Natural
	30x280 (6 mm)	Gradone	G-2909	-	G-2909	G-2909
	30x140 (6 mm)	Gradone	G-2813	-	G-2813	G-2813
	30x120 (6 mm)	Gradone	G-2813	-	G-2813	G-2813
	30x120 (7 mm)	Gradone	G-693	G-693	G-693	G-693
	60x60 (7 mm)	Gradone	G-543	G-543	G-543	G-543
		Gradone Ángulo	G-603	G-603	G-603	G-603

Peldaño 	SIZE / Formato		Blue	Ochre	Red	White
			Natural	Natural	Natural	Natural
	30x280 (6 mm)	Peldaño	G-2651	-	G-2461	G-2461
	30x140 (6 mm)	Peldaño	G-2461	-	G-2461	G-2461
	30x120 (6 mm)	Peldaño	G-2461	-	G-2461	G-2461
	30x120 (7 mm)	Peldaño	G-323	G-323	G-323	G-323
	60x60 (7 mm)	Peldaño	G-235	G-235	G-235	G-235
		Peldaño Ángulo	G-251	G-251	G-251	G-251

Technical Data		UNE EN	UNE EN	DCOF	UNE EN	UNE EN
		16165 A.B	16165 A.A	ANSI A 326.3	16165 A.A	16165 A.C+A.N.A
Natural		R10	•	•	>24	1
DIN 51130 - DIN 51097 - UNE-ENV 12633. - Test done in Sullivan Blue Natural 60x60. Average test result value on August 2023. Consult specific product test result value before supplying.				DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Sullivan Blue Natural 60x60. Valor de media a fecha de Enero de 2023. Consultar valor de un producto específico antes del suministro.		

Emotion

Floor & walls




Grey



Cassero Grey & White Natural 120x300, Emotion Grey Natural 120x260 & Emotion Grey Solid 2cm 50x100

Emotion




Grey Natural

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Emotion Grey Natural		G-3365
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Emotion Grey Natural		G-3365

100x100	99,55x99,55 cm - 39.37"x39.37"	10 mm
Emotion Grey Natural		G-7268
50x100	49,75x99,55 cm - 19.59"x39.37"	10 mm
Emotion Grey Natural		G-7170
Emotion Red Natural		G-7170
Emotion White Natural		G-7170
50x100	49,75x99,55 cm - 19.59"x39.37"	20 mm
Emotion Grey Solid 2 cm		G-9234
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Emotion Grey Natural		G-7170
Emotion Beige Natural		G-7170
Emotion White Natural		G-7170
Hexagon	25x29 cm - 9.84"x11.42"	10 mm
Emotion Grey Natural Hexagon		G-7230


SOLID
2 cm

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Flow



L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics		SIZE / Formato	Grey Natural	Red Natural	Beige Natural	White Natural
		29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5 G-7558	G-7558	G-7558	G-7558
Rodapie		SIZE / Formato	Grey Natural	Red Natural	Beige Natural	White Natural
		7,5x120 Rodapie	G-187	-	-	-
		7,5x100 Rodapie	G-6115	-	-	-
		7,5x60 Rodapie	G-6071	-	G-6071	G-6071
		7,5x50 Rodapie	G-6071	G-6071	-	G-6071
Listas		SIZE / Formato	Grey Natural	Red Natural	Beige Natural	White Natural
		7,5x120 Listas	G-171	-	-	-
		7,5x100 Listas	G-6111	-	-	-
		7,5x60 Listas	G-6065	-	G-6065	G-6065
		7,5x50 Listas	G-6065	G-6065	-	G-6065
Gradone		SIZE / Formato	Grey Natural	Red Natural	Beige Natural	White Natural
		30x260 Gradone	G-2909	-	-	-
		30x130 Gradone	G-2813	-	-	-
		50x100 Gradone	G-6655	G-6655	-	G-6655
		60x60 Gradone	G-6559	-	G-6559	G-6559
Peldaño		SIZE / Formato	Grey Natural	Red Natural	Beige Natural	White Natural
		30x260 Peldaño	G-2651	-	-	-
		30x130 Peldaño	G-2461	-	-	-
		50x100 Peldaño	G-6337	G-6337	-	G-6337
		60x60 Peldaño	G-6197	-	G-6197	G-6197
2 Cm Peldaño L		SIZE / Formato	Grey Solid 2 Cm	Red Solid 2 Cm	Beige Solid 2 Cm	White Solid 2 Cm
		44x100 Peldaño "L"	G-6623			

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	·	>0,42	>36	1
Solid 2 cm	R11	C	>0,42	>36	3
DIN 51130 - DIN 51097 - UNE-ENV 12633. - Test done in Emotion Grey Natural 60x60. Average test result value on September 2019. Consult specific product test result value before supplying.			DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Emotion Grey Natural 60x60. Valor de media a fecha de Septiembre de 2019. Consultar valor de un producto específico antes del suministro.		

Mood

Floor & walls



Green




Mood Green Natural 120x280



Mood Green Natural 100x100

Mood




Green Natural

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Mood Green Natural		G-3365
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Mood Green Natural		G-3365


100x100	99,55x99,55 cm - 39.37"x39.37"	10 mm
Mood Green Natural		G-7268
Mood Blue Natural		G-7268
Mood Ivory Natural		G-7268
Mood White Natural		G-7268
Mood Black Natural		G-7268
50x100	49,75x99,55 cm - 19.69"x39.37"	10 mm
Mood Green Natural		G-7162
Mood Blue Natural		G-7162
Mood Ivory Natural		G-7162
Mood White Natural		G-7162
Mood Black Natural		G-7162
60x60	59,55x59,55 cm - 23.62"x23.62"	10 mm
Mood Green Natural		G-7146
Mood Blue Natural		G-7146
Mood Ivory Natural		G-7146
Mood White Natural		G-7146
Mood Black Natural		G-7146
30x60	29,75x59,55 cm - 11.13"x23.62"	10 mm
Mood Green Natural		G-7132
Mood Blue Natural		G-7132
Mood Ivory Natural		G-7132
Mood White Natural		G-7132
Mood Black Natural		G-7132
Hexagon	25x29 cm - 9.84"x11.42"	10 mm
Mood Green Natural Hexagon		G-7230
Mood Ivory Natural Hexagon		G-7230
Mood Ivory Decor Hexagon		G-7254

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Flow





L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968

Standing



L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Mosaics	SIZE / Formato	Black Natural	Blue Natural	Green Natural	Ivory Natural	White Natural
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	G-7558	G-7558	G-7558	G-7558
Rodapie	SIZE / Formato	Black Natural	Blue Natural	Green Natural	Ivory Natural	White Natural
	7,5x120 7,5x100 7,5x60 7,5x50	Rodapie Rodapie Rodapie Rodapie	- G-6115 G-6089 G-6071	- G-6115 G-6089 G-6071	- G-6115 G-6089 G-6071	- G-6115 G-6089 G-6071
Listas	SIZE / Formato	Black Natural	Blue Natural	Green Natural	Ivory Natural	White Natural
	7,5x120 7,5x100 7,5x60 7,5x50	Listas Listas Listas Listas	- G-6111 G-6087 G-6065	- G-6111 G-6087 G-6065	- G-6111 G-6087 G-6065	- G-6111 G-6087 G-6065
Gradone	SIZE / Formato	Black Natural	Blue Natural	Green Natural	Ivory Natural	White Natural
	30x280 30x140 100x100 50x100 60x60 30x60	Gradone Gradone Gradone Gradone Gradone Gradone	- - G-6723 G-6655 G-6559 G-6471	- - G-6723 G-6655 G-6559 G-6471	- - G-6723 G-6655 G-6559 G-6471	- - G-6723 G-6655 G-6559 G-6471
Peldaño	SIZE / Formato	Black Natural	Blue Natural	Green Natural	Ivory Natural	White Natural
	30x280 30x140 100x100 50x100 60x60 30x60	Peldaño Peldaño Peldaño Peldaño Peldaño Peldaño	- - G-6541 G-6337 G-6197 G-6131	- - G-6541 G-6337 G-6197 G-6131	- - G-6541 G-6337 G-6197 G-6131	- - G-6541 G-6337 G-6197 G-6131
Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A	
Natural	R10	•	>0,42	>36	1	

DIN 51130 - DIN 51097 - UNE-ENV 12633 - Test done in Mood Blue Natural 60x60. Average test result value on September 2019. Consult specific product test result value before supplying.
DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Mood Blue Natural 60x60. Valor de media a fecha de Septiembre de 2019. Consultar valor de un producto específico antes del suministro.

Taupe

Floor & walls



White







Instinto White Autumn Decor A+B 120x260

Instinto




Taupe Natural



White Natural White Autumn Decor A White Autumn Decor B


120x260	119,3x260 cm - 46.97"x102.4"	6 mm	90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Instinto White Natural		G-3365	Instinto Taupe Natural		G-1298
Instinto Taupe Natural		G-3365			
Instinto White Autumn Decor A+B		G-2961			
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm			
Instinto White Natural		G-3365			
Instinto Taupe Natural		G-3365			
60x120	59,55x119,3 cm - 23.44"x46.97"	6 mm			
Instinto White Natural		G-3365			
Instinto Taupe Natural		G-3365			

Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended





L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Standing



L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**


Mosaics	SIZE / Formato	White Natural	Taupe Natural
	29,75x29,75 cm 11.71"x11.71"	Mosaico 5x5	-
			G-1654
Rodapie	SIZE / Formato	White Natural	Taupe Natural
	7,5x120	Rodapie	G-187
	7,5x90	Rodapie	-
			G-125
Listas	SIZE / Formato	White Natural	Taupe Natural
	7,5x120	Listas	G-171
	7,5x90	Listas	-
			G-109
Gradone	SIZE / Formato	White Natural	Taupe Natural
	30x260	Gradone	G-2909
	30x130	Gradone	G-2813
			G-2813
Peldaño	SIZE / Formato	White Natural	Taupe Natural
	30x260	Peldaño	G-2651
	30x130	Peldaño	G-2461
			G-2461

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
Natural	R10	•	>0,42	>36	1
DIN 51130 - DIN 51097 - UNE-ENV 12633. -Test done in Instinto Taupe Natural 90x90. Average test result value on March 2020. Consult specific product test result value before supplying.			DIN 51130 - DIN 51097 - UNE-ENV 12633 - Prueba realizada sobre el producto Instinto Taupe Natural 90x90. Valor de media a fecha de Marzo de 2020. Consultar valor de un producto específico antes del suministro.		

Tierra

Sand

Floor & walls



Teja





Tierra Teja Natural 120x120



Tierra Sand Natural 120x120 & Teja Natural 120x120

Tierra



Sand Natural



Teja Natural


120x280 119,3x280 cm - 46,97"x110,24" **6 mm**
Tierra Sand Natural **G-3314**
Tierra Teja Natural **G-3314**

120x120 119,3x119,3 cm - 46,97"x46,97" **6 mm**
Tierra Sand Natural **G-3314**
Tierra Teja Natural **G-3314**

60x120 59,55x119,3 cm - 23.44"x46.97" **7 mm**
Tierra Teja Natural **G-1304**
Tierra Sand Natural **G-1304**


30x90 29,75x89,46 cm - 11.71"x35.22" **7 mm**
Tierra Sand Matt **G-7170**
Tierra Teja Matt **G-7170**
Tierra Sand Fiore **G-7208**
Tierra Teja Fiore **G-7208**

Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Natural **G-2986**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Natural **G-2968**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Natural **G-2990**

Standing




L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Natural **G-2976**

Mosaics 	SIZE / Formato		Teja	Sand	
	29,75x29,75 cm 11,71"x 11,71" Mosaico 5x5		Natural G-1638	Natural G-1638	
Rodapie 	SIZE / Formato		Teja	Sand	
	7,5x120 Rodapie		Natural G-187	Natural G-187	
Listas 	SIZE / Formato		Teja	Sand	
	7,5x120 Listas		Natural G-171	Natural G-171	
Gradone 	SIZE / Formato		Teja	Sand	
	30x280	Gradone	Natural G-2909	Natural G-2909	
	30x140	Gradone	G-2813	G-2813	
	30x120	Gradone	G-693	G-693	
		Gradone Ángulo	G-749	G-749	
Peldaño 	SIZE / Formato		Teja	Sand	
	30x280	Peldaño	Natural G-2651	Natural G-2651	
	30x140	Peldaño	G-2461	G-2461	
	30x120	Peldaño	G-323	G-323	
		Peldaño Ángulo	G-337	G-337	
Technical Data	UNE EN	UNE EN	DCOF	UNE EN	UNE EN
	16165 A.B	16165 A.A	ANSI A 326.3	16165 A.A	16165 A.C+A.N.A
Natural	R10	.	.	>24	1
DIN 51130 - DIN 51097 - UNE-ENV 12633. Test done in Tierra Sand Natural 60x120. Average test result value on July 2023. Consult specific product test result value before supplying.			DIN 51130 - DIN 51097 - UNE-ENV 12633. Prueba realizada sobre el producto Tierra Sand Natural 60x120. Valor de media a fecha de julio de 2023. Consultar valor de un producto específico antes del suministro.		

Junoon

Beige

Floor & walls



Maple





Junoon



Beige Natural



Maple Natural


120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Junoon Beige Natural	G-3391	
Junoon Maple Natural	G-3391	
30x280	29,75x280cm - 11.81"x110.24"	6 mm
Junoon Beige Natural	G-3371	
Junoon Maple Natural	G-3371	
30x260	29,75x260cm - 11.81"x102.36"	6 mm
Junoon Beige Natural	G-3371	
Junoon Maple Natural	G-3371	
50x100	49,75x99,55 cm - 19.59"x39.37"	20 mm
Junoon Beige Solid 2 cm	G-9234	
Junoon Maple Solid 2 cm	G-9234	

SOLID
2 cm




Junoon Beige Natural 30x260

Nemesis




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 25 cm
Nemesis Natural		G-2986

Suspended




L 150	L 150xW 50 - L 59.1"x W 19.7"	H 15 cm
Suspended Natural		G-2990

Flow




L 75	L 75xW 50 - L 29.5"x W 19.7"	H 15 cm
Flow Natural		G-2968

Standing




L 60	L 60 x W 54 - L 23.6" x W 21.3"	H 85 cm
Standing Natural		G-2976

For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.


Rodapie 	SIZE / Formato		Junoon Beige Natural G-187	Junoon Maple Natural G-187	
	7,5x120	Rodapie			
Listas 	SIZE / Formato		Junoon Beige Natural G-171	Junoon Maple Natural G-171	
	7,5x120	Listas			
Gradone 	SIZE / Formato		Junoon Beige Natural	Junoon Maple Natural	
	30x280	Gradone	G-2909	G-2909	
	30x140	Gradone	G-2813	G-2813	
Peldaño 	SIZE / Formato		Junoon Beige Natural	Junoon Maple Natural	
	30x280	Peldaño	G-2651	G-2651	
	30x140	Peldaño	G-2461	G-2461	
2 Cm Peldaño L 	SIZE / Formato		Junoon Beige Solid 2 Cm G-6623	Junoon Maple Solid 2 Cm G-6623	
	44x100	Peldaño "L"			
Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
	Natural	R10	>0,42	>36	1
	Solid 2 cm	R11	>0,42	>36	3
	UNE EN 16165 A.B / UNE EN 16165 A.A / UNE-ENV 12633. Test done in Junoon Maple Natural 30x260. Average test result value on March 2020. Consult specific product test result value before supplying.				
UNE EN 16165 A.B / UNE EN 16165 A.A / UNE-ENV 12633. Prueba realizada sobre Junoon Maple Natural 30x260. Valor de media a fecha Marzo de 2020. Consultar valor de un producto específico antes del suministro.					

Fluid


Floor & walls



120x260
46.97" x 102.4"



120x120
46.97" x 46.97"



90x90
35.22" x 35.22"

Polished
6 mm

Natural
7 mm

Multicolor





Mercure Hotel
Klaipeda - Lithuania
Fluid Multicolor Natural 90x90
Architect: Audronis Vydzius



Fluid




Multicolor Polished

120x260	119,3x260 cm - 46.97"x102.4"	6 mm
Fluid Multicolor Polished		G-3467
120x120	119,3x119,3 cm - 46.97"x46.97"	6 mm
Fluid Multicolor Polished		G-3467
90x90	89,46x89,46 cm - 35.22"x35.22"	7 mm
Fluid Multicolor Natural		G-1352
Fluid Black Natural		G-1352




Nemesis



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 25 cm**
Nemesis Polished **G-2988**


Flow



L 75 L 75xW 50 - L 29.5"x W 19.7" **H 15 cm**
Flow Polished **G-2973**


For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Suspended



L 150 L 150xW 50 - L 59.1"x W 19.7" **H 15 cm**
Suspended Polished **G-2992**

Standing



L 60 L 60 x W 54 - L 23.6" x W 21.3" **H 85 cm**
Standing Polished **G-2978**

Rodapie 	SIZE / Formato		Multicolor	
	7,5x120	Rodapie	Polished	G-209
Listas 	SIZE / Formato		Multicolor	
	7,5x120	Listas	Polished	G-187
Gradone 	SIZE / Formato		Multicolor	
	30x260	Gradone	Polished	G-2911
	30x130	Gradone	Polished	G-2829
Peldaño 	SIZE / Formato		Multicolor	
	30x260	Peldaño	Polished	G-2677
	30x130	Peldaño	Polished	G-2501

Technical Data	UNE EN 16165 A.B	UNE EN 16165 A.A	DCOF ANSI A 326.3	UNE EN 16165 A.A	UNE EN 16165 A.C+A.N.A
	Natural R10	•	>0,42	>24	1
DIN 51130 / DIN 51097 / UNE-ENV 12633. Test done in Fluid Multicolor Natural 90x90. Average test result value on September 2019. Consult specific product test result value before supplying.			DIN 51130 / DIN 51097 / UNE-ENV 12633. Prueba realizada sobre el producto Fluid Multicolor Natural 90x90. Valor de media a fecha de Septiembre de 2019. Consultar valor de un producto específico antes del suministro.		

Mirror

Gold

Floor & walls



120x280
46.97" x 110.24"
Polished
6 mm




60x120
23.44" x 46.97"
Polished
7 mm



30x60
11.71" x 23.45"
Polished
10 mm


Bronze



Silver



Purple



Blue



Mirror



Bronze Polished Gold Polished Purple Polished Silver Polished Blue Polished

120x280	119,3x280 cm - 46.97"x110.24"	6 mm
Mirror Gold Polished	G-2964	
Mirror Bronze Polished	G-2964	
Mirror Purple Polished	G-2964	
Mirror Silver Polished	G-2964	
Mirror Blue Polished	G-2964	
60x120	59,55 x 119,3 cm - 23.45"x46.97"	7 mm
Mirror Zinc Mix	G-1980	
30x60	29,75 x 59,55 cm - 11.71"x23.44"	10 mm
Mirror Bronze Polished	G-1960	
Mirror Gold Polished	G-1942	
Mirror Purple Polished	G-1960	
Mirror Silver Polished	G-1942	
Mirror Blue Polished	G-1964	
Mirror Aged Polished	G-1975	



Mirror Blue Polished 120x280

Calacatta Lincoln Polished	206
Equinox Grey Natural	204
Pietra Grey Polished	205
Statuario Extra White Natural & Polished	206
Super Black Natural	207
Super White Natural	207
Tattoo Oxidum Decor	205
Travertino Navona	204



Size

162x324 cm
63.8"x127.6"

Finishes









Natural & Polished

Thickness

12 mm

Linetop pieces are in full size non rectified
Las piezas de Linetop no están rectificadas

Technical Features Linetop
Características Técnicas Linetop

					
Color resistance to light Resistencia del color a la luz	Frost resistant Resistente a heladas	Humidity resistance Anti-humedad	Resistance to staining Anti-manchas	UV resistant Resistencia a rayos UV	Heat resistant Resistencia al calor
					
Resists to mould and bacteria Resiste a moho y bacterias	Easy cleaning Fácil limpieza	Thermal shock resistant Resistencia a cambios de temperatura	Dimensional stability Estabilidad dimensional	Resistant to abrasion Resiste a la abrasión	Chemical resistant Resistencia química

Travertino Navona



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3520

Thickness
12 mm

Tattoo Oxidum Decor



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3574

Thickness
12 mm

Equinox Grey Natural



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3520

Thickness
12 mm

Pietra Grey Polished



Size
162x324 cm
63.8"x127.6"

Finishes
Polished
G-3616

Thickness
12 mm

Statuario Extra White Natural & Polished



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3620
Polished
G-3654

Thickness
12 mm

Super Black Natural



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3666

Thickness
12 mm

Calacatta Lincoln Polished



Size
162x324 cm
63.8"x127.6"

Finishes
Polished
G-3654

Thickness
12 mm

Super White Natural



Size
162x324 cm
63.8"x127.6"

Finishes
Natural
G-3666

Thickness
12 mm

Flow	231
Nemesis	230
Standing	231
Suspended	230



Nemesis	Suspended	Flow	Standing
50x25x150 cm	50x15x150 cm	50x15x75 cm	54x85x60 cm
19.69"x9.84"x59.06"	19.7"x5.91"x59.1"	21.26"x33.46"x23.62"	21.26"x33.46"x23.62"




For custom sizes, please contact the sales department.
Para medidas especiales consultar el departamento comercial.

Technical Features
Características Técnicas


Color resistance to light Resistencia del color a la luz	Frost resistant Resistente a heladas	Humidity resistance Anti-humedad	Resistance to staining Anti-manchas	UV resistant Resistencia a rayos UV	Heat resistant Resistencia al calor
Resists to mould and bacteria Resiste a moho y bacterias	Easy cleaning Fácil limpieza	Thermal shock resistant Resistencia a cambios de temperatura	Dimensional stability Estabilidad dimensional	Resistant to abrasion Resiste a la abrasión	Chemical resistant Resistencia química

Nemesis 50x25x150 cm - 19.69"x9.84"x59.06"




Features	Kg/ Washbasin	Kg/ Packing	Kg/ Total	Size Cm/ Washbasin	Size Inch/ Washbasin	Size Cm/ Box	Size Inch/ Box
1 Basin & Drawer 1 Seno y Cajón	37	20	57	50x25x150	19.69"x9.84"x59.06"	64x30x164	25.2"x11.81"x64.57"

Flow 50x15x75 cm - 21.26"x33.46"x23.62"




Features	Kg/ Washbasin	Kg/ Packing	Kg/ Total	Size Cm/ Washbasin	Size Inch/ Washbasin	Size Cm/ Box	Size Inch/ Box
1 basin 1 seno	20	11	31	50x15x75 cm	21.26"x33.46"x23.62"	64x29x89	25.2"x11.42"x35.04"

Suspended 50x15x150 cm - 19.7"x5.91"x59.1"



Features	Kg/ Washbasin	Kg/ Packing	Kg/ Total	Size Cm/ Washbasin	Size Inch/ Washbasin	Size Cm/ Box	Size Inch/ Box
1 basin 1 seno	35	20	55	50x15x150	19.7"x5.91"x59.1"	64x 30x164	25.2"x11.81"x64.57"
2 basin 2 seno	36		56				

Standing 54x85x60 cm - 21.26"x33.46"x23.62"




Features	Kg/ Washbasin	Kg/ Packing	Kg/ Total	Size Cm/ Washbasin	Size Inch/ Washbasin	Size Cm/ Box	Size Inch/ Box
1 basin 1 seno	37	24	61	54x85x60 cm	21.26"x33.46"x23.62"	59x96x65 cm	23.23"x37.80"x25.59"

Argos Black	38	Lumen	90	Roma Blue	126
Ashen	14	Luna	104	Statuario	140
Borghini	146	Mirror	220	Sullivan	178
Calacatta Lincoln	226	Mood	190	Super Black	227
Cassero	170	Mystone	46	Super White	227
Emotion	184	Noir Velvet	98	Tattoo	80
Equinox	160	Onice	134	Tierra	204
Fluid	216	Orobico	150	Travertino	24
Instinto	198	Patagonia	120	Wild Forest	112
Junoon	210	Perlino	32	Zinc	70
Lamiere	60	Pietra Grey	52		



Linetop | 12 mm




162x324
63.8" x 127.6"

Floor & walls | 6 mm




120x300
46.97" x 118.11"



120x280
46.97"x110.24"



30x280
11.71" x 110.24"



120x120
46.97" x 46.97"



60x120
23.44" x 46.97"

Argos Black

120X280 | 60x120

46.97"x110.24" | 23.44"x46.97"

Ashen

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Borghini

120x260 | 120x120

46.97"x102.4" | 46.97"x46.97"

Calacatta Lincoln

162x324

63.8"x127.6"

Cassero

120x300 | 120x280 | 120x120

46.97"x118.11" | 46.97"x110.24" | 46.97"x46.97"

Emotion

120x260 | 120x120

46.97"x102.4" | 46.97"x46.97"

Equinox

162x324 | 120x280 | 120x120 | 60x120

63.8"x127.6" | 46.97"x110.24" | 46.97"x102.4" | 46.97"x46.97" | 23.44"x46.97"

Fluid

120x260 | 120x120

46.97"x102.4" | 46.97"x46.97"

Instinto

120x260 | 120x120 | 60x120

46.97"x102.4" | 46.97"x46.97" | 23.44"x46.97"

Junoon

120x280 | 30x280 | 30x260

46.97"x110.24" | 11.71"x110.24" | 11.71"x102.4"

Lamiere

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Lumen

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Luna

120x280 | 120x120

46.97"x110.24" | 46.97"x46.97"

Mirror

120x280 | 120x260

46.97"x110.24" | 46.97"x102.4"

Mood

120x260 | 120x120

46.97"x102.4" | 46.97"x46.97"

Mystone

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Noir Velvet

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Onice

120x300 | 120x120

46.97"x118.11" | 46.97"x46.97"

Orobico

120x260 | 120x120

46.97"x102.4" | 46.97"x46.97"

Patagonia

120x280 | 120x120

46.97"x110.24" | 46.97"x46.97"

Perlino

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Pietra Grey

162x324 | 120x260 | 120x120

63.8"x127.6" | 46.97"x102.4" | 46.97"x46.97"

Roma Blue

120x280 | 120x120

46.97"x110.24" | 46.97"x46.97"

Statuario

162x324 | 120x260 | 120x120

63.8"x127.6" | 46.97"x102.4" | 46.97"x46.97"

Sullivan

120x280 | 120x120

46.97"x110.24" | 46.97"x46.97"

Super Black

162x324

63.8"x127.6"

Super White

162x324

63.8"x127.6"

Tattoo

162x324 | 120x280 | 120x120 | 60x120

63.8"x127.6" | 46.97"x110.24" | 46.97"x102.4" | 46.97"x46.97" | 23.44"x46.97"

Tierra

120x280 | 120x120

46.97"x110.24" | 46.97"x46.97"

Travertino

162x324 | 120x280 | 120x120 | 60x120

63.8"x127.6" | 46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Wild Forest

120x280 | 120x120 | 60x120

46.97"x110.24" | 46.97"x46.97" | 23.44"x46.97"

Zinc

120x280 | 120x260 | 120x120

46.97"x110.24" | 46.97"x102.4" | 46.97"x46.97"

6 mm
120x280 - 46.97"x110.24"
120x120 - 46.97"x46.97"

120 x 280 cm
46.97" x 110.24"

Concrete

Cassero



Cassero Anthracite Natural



Cassero Grey Natural
120x300 - 46.97"x118.11"



Cassero White Natural

Emotion



Emotion Grey Natural
120x260 - 46.97"x102.36"

Mood



Mood Green Natural
120x260 - 46.97"x102.36"


Equinox



Equinox Coral Natural



Equinox Ivory Natural



Equinox Anthracite Natural



Equinox White Natural



Equinox Grey Natural
120x260 - 46.97"x102.36"

Sullivan



Sullivan White Natural



Sullivan Red Natural



Sullivan Blue Natural

Instinto



Instinto Taupe Natural
120x260 - 46.97"x102.36"



Instinto White Natural
120x260 - 46.97"x102.36"

Marble

Lumen




Lumen Ambar Polished



Lumen Ivory Polished

Argos Black



Argos Black Rigato

Wild Forest



Wild Forest Grey Natural Mix
Wild Forest Grey Polished Mix

Patagonia



Patagonia Grey Polished

Noir Velvet



Noir Velvet Natural
Noir Velvet Polished

Luna



Luna Beige Natural

Roma Blue



Roma Blue Polished

Onice



Onice Green Polished
120x300 - 46.97"x118.11"



Onice Salmon Polished
120x300 - 46.97"x118.11"

Borghini



Borghini White Polished
120x260 - 46.97"x102.36"

Statuario



Statuario Extra White Polished Mix
120x260 - 46.97"x102.36"

Orobico



Orobico Red Polished
120x260 - 46.97"x102.36"

Stone

Ashen



Ashen Taupe Natural

Ashen Ivory Natural

Ashen Beige Natural

Ashen Grey Natural

Perlino



Perlino Beige Natural

Perlino Pink Natural

Perlino Marfil Natural

Travertino Navona Rigato

Travertino Navona Natural

Mystone



Mystone Grana Satin

Mystone Grey Satin

Mystone Ivory Satin

Travertino Titanium Natural

Travertino

Pietra Grey



Pietra Grey Natural & Polished

120x260 - 46.97"x102.36"

Metal

Lamiere



Lamiere Blue Natural

Lamiere White Natural

Tattoo



Tattoo Oxidum Decor

Tattoo White Natural

Tattoo Black Decor

120x260 - 46.97"x102.36"

Zinc



Zinc Black Natural

Zinc Green Natural

Zinc Copper Natural

120x260 - 46.97"x102.36"

Mirror



Mirror Blue Polished

Mirror Bonze Polished

Mirror Gold Polished

Mirror Purple Polished

Mirror Silver Polished

6 mm

120x280 - 46.97"x110.24"

120x120 - 46.97"x46.97"

120 x 280 cm

46.97" x 110.24"

Wood

Junoon



Junoon Beige Natural

Junoon Maple Natural

Cotto

Tierra



Tierra Sand Natural

Tierra Teja Natural

Resin

Fluid



Fluid Multicolor Polished

120x260 - 46.97"x102.36"

12 mm

162x324 - 63.78"x127.56"

162 x 324 cm

63.78" x 127.56"

Marble

Calacatta Lincoln



Calacatta Lincoln White Polished

Statuario



Statuario Extra White Natural

Statuario Extra White Polished

Pietra Grey



Pietra Grey Polished

Stone

Travertino



Travertino Navona Natural

Metal

Tattoo



Tattoo Oxidum Decor

Concrete


Equinox



Equinox Grey Natural


Colors

Super White












Super White Natural

Super Black




Super Black Natural


					
Color resistance to light Resistencia del color a la luz	Frost resistant Resistente a heladas	Humidity resistance Anti-humedad	Resistance to staining Anti-manchas	UV resistant Resistencia a rayos UV	Heat resistant Resistencia al calor
					
Resists to mould and bacteria Resiste a moho y bacterias	Easy cleaning Fácil limpieza	Thermal shock resistant Resistencia a cambios de temperatura	Dimensional stability Estabilidad dimensional	Resistant to abrasion Resiste a la abrasión	Chemical resistant Resistencia química

Steps - Peldaños

280 - 140 - 120 cm | 6,5 mm




	6,5 mm ± 2%	7,4 mm ± 2%
	0.25" ± 2%	0.291" ± 2%




	STEPS - PELDAÑOS					
	30x280 cm		30x140 cm		30x120 cm	
	Peldaño	Peldaño Angulo	Peldaño	Peldaño Angulo	Peldaño	Peldaño Angulo
Natural	G-2651	G-2651	G-2461	G-2461	G-2461	G-2461
Polished	G-2677	G-2677	G-2501	G-2501	G-2501	G-2501

Gradone - Gradone

280 - 140 - 120 cm | 6,5 mm





	20,10 mm ± 3%	22,10 mm ± 3%
	0.79" ± 3%	0.87" ± 3%



	GRADONE - GRADONE					
	30x280 cm		30x140 cm		30x120 cm	
	Gradone	Gradone Angulo	Gradone	Gradone Angulo	Gradone	Gradone Angulo
Natural	G-2909	G-2909	G-2813	G-2813	G-2813	G-2813
Polished	G-2911	G-2911	G-2829	G-2829	G-2829	G-2829

Rodapie | Lista

7,5x120 cm




	RODAPIE		LISTA	
	7,5x120 cm		7,5x120 cm	
Natural	G-187		G-171	
Polished	G-209		G-187	

6 mm/12mm



A-frame | Caballete


Packing A-Frame Caballete	Tipo	Size Cm	Inch	Boxes/ Pallet	Pieces/ Box	M2/ Pallet	Sqf/ Pallet	Kg/ Pallet	Kg/ M2	Frame Price/ Precio Caballete
162x324 (12 mm)	Q	330x190x75 cm	122"x74.8"x29.5"	1	16	83,98	903,9	2870	32,38	360 €
120x300 (6 mm)	Q	310x190x75 cm	122"x74.8"x29.5"	1	40	143,16	1540,97	2485	16,35	360 €
120x280 (6 mm)	O	290x170x75 cm	114.2"x67"x29.5"	1	40	133,61	1438,24	2250	16,35	360 €
120x260 (6 mm)	O	290x170x75 cm	114.2"x67"x29.5"	1	40	124,07	1335,51	2106	16,35	360 €



7 levels
7 niveles

Crate | caja madera

Packing Size Cm - Inch	Crate Size Medidas Caja Madera		Boxes/ Pallet	Pieces/ Box	M2/ Pallet	Sqf/ Pallet	Kg/ Pallet	Kg/ M2	Crate Price/ Precio Caja
120x300 - 48"x118"	140x320x27 cm	55"x126"x11"	17	1	60,84	654,91	1031	16,35	150 €
120x280 - 48"x110"	140x291x27 cm	55"x114"x11"	17	1	56,78	611,25	1020	16,35	115 €
120x260 - 48"x102"	140x280x27 cm	55"x110"x11"	17	1	52,73	567,59	926	16,35	115 €
30x280 - 12"x110"	75x291x55 cm	30"x114"x22"	32	2	53,312	573,85	1020	16,35	115 €



4 levels
4 niveles

Pallet | palet

Packing Pallet Palet	Size Cm	Inch	Boxes/ Pallet	Pieces/ Box	M2/ Pallet	Sqf/ Pallet	Kg/ Pallet	Kg/ M2	Crate Price/ Precio Caja
120x120	119,30x119,3 cm	46.97" x 46.97"	32	1	45,54	490,23	793	16,35	65 €

Polished

Technical Characteristics Características Técnicas	Standard Test Method Método De La Norma	Standard Prescribed Values Valor Prescrito Por La Norma	APAVISA
Measurements Surface Appearance Dimensiones Y Aspecto Superficial			
 Nominal thickness/ espesor nominal			6,5mm - 1/4"
 Length and width longitud y anchura	UNE - EN ISO 10545 - 2	+/- 0.6 % Max	+/- 0.2 %
 Thickness espesor	UNE - EN ISO 10545 - 2	+/- 5.0 % Max	+/- 5.0 %
 Orthogonality ortogonalidad	UNE - EN ISO 10545 - 2	+/- 0.5 % Max	+/- 0.2 %
 Surface flatness planitud de superficie	UNE - EN ISO 10545 - 2	+/- 0.5 % Max	+/- 0.2 %
Physical Properties Propiedades Físicas			
 Water absorption absorción de agua	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
 Modulus of rupture resistencia a la flexión	UNE - EN ISO 10545 - 4	> 35 N/mm²	>45 N/mm²
 Breaking strength fuerza de rotura	UNE - EN ISO 10545 - 4	> 700 N	>1200 N
 Resistance to deep abrasion resistencia a la abrasión profunda	UNE - EN ISO 10545 - 6	< 175 Mm³	<170mm³
 Temperature shock resistance resistencia al choque termico	UNE - EN ISO 10545 - 9	No surface defects should be visible No debe presentar defectos o roturas visibles	Resistant resistente
 Resistance to cold resistencia a la helada	UNE - EN ISO 10545 - 12	No surface defects or cracks should be visible No debe presentar defectos visibles	Anti-ice anti-tiempo
 Anti-slip antideslizamiento	DIN 51130	-	-
	DIN 51097	-	-
	UNE 41901-EX	-	-
	ANSI A326.3	-	-
	BS 7976	-	-
 Colour resistance to light resistencia del color a la luz	DIN 51094	There should be no colour variations No debe presentar variaciones de color	No alterations
chemical Properties Propiedades Químicas			
 Chemical resistance resistencia química	UNE - EN ISO 10545 - 13	MIN. UB/GB MIN. UB/GB	Min. GA /UA
 Resistance to staining resistencia a las manchas	UNE - EN ISO 10545 - 14	Min.3	Min. 4

Tests for polished finish characteristics done in Statuario White Polished 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado pulido realizadas sobre el producto Statuario White Polished 120x260. Valor de media a fecha de Marzo 2017.
Consultar valor de un producto específico antes del suministro.

Tests for natural finish characteristics done in Tattoo Oxidum Decor 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado natural realizadas sobre el producto Tattoo Oxidum Decor 120x260. Valor de media a fecha de Marzo 2017.
Consultar valor de un producto específico antes del suministro.

Natural

Technical Characteristics Características Técnicas	Standard Test Method Método De La Norma	Standard Prescribed Values Valor Prescrito Por La Norma	APAVISA
Measurements Surface Appearance Dimensiones Y Aspecto Superficial			
 Nominal thickness/ espesor nominal			6,5mm - 1/4"
 Length and width longitud y anchura	UNE - EN ISO 10545 - 2	+/- 0.6 % Max	+/- 0.2 %
 Thickness espesor	UNE - EN ISO 10545 - 2	+/- 5.0 % Max	+/- 5.0 %
 Orthogonality ortogonalidad	UNE - EN ISO 10545 - 2	+/- 0.5 % Max	+/- 0.2 %
 Surface flatness planitud de superficie	UNE - EN ISO 10545 - 2	+/- 0.5 % Max	+/- 0.2 %
Physical Properties Propiedades Físicas			
 Water absorption absorción de agua	UNE - EN ISO 10545 - 3	< 0.5 %	<0.1 %
 Bending resistance resistencia a la flexión	UNE - EN ISO 10545 - 4	> 35 N/mm²	>45 N/mm²
 Breaking strength fuerza de rotura	UNE - EN ISO 10545 - 4	> 700 N	>1200 N
 Resistance to deep abrasion resistencia a la abrasión profunda	UNE - EN ISO 10545 - 6	< 175 Mm³	<170mm³
 Temperature shock resistance resistencia al choque termico	UNE - EN ISO 10545 - 9	No surface defects should be visible No debe presentar defectos o roturas visibles	Resistant resistente
 Resistance to cold resistencia a la helada	UNE - EN ISO 10545 - 12	No surface defects or cracks should be visible No debe presentar defectos visibles	Anti-ice anti-tiempo
 Anti-slip antideslizamiento	DIN 51130	-	See table ver tabla*
	DIN 51097	-	-
	UNE 41901-EX	-	-
	ANSI A326.3	-	-
	BS 7976	-	-
 Colour resistance to light resistencia del color a la luz	DIN 51094	There should be no colour variations	No alterations
Chemical Properties Propiedades Químicas			
 Chemical resistance resistencia química	UNE - EN ISO 10545 - 13	MIN. UB/GB MIN. UB/GB	MIN. GA /UA
 Resistance to staining resistencia a las manchas	UNE - EN ISO 10545 - 14	Min.3	Min. 4

Tests for polished finish characteristics done in Statuario White Polished 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado pulido realizadas sobre el producto Statuario White Polished 120x260. Valor de media a fecha de Marzo 2017.
Consultar valor de un producto específico antes del suministro.

Tests for natural finish characteristics done in Tattoo Oxidum Decor 120x260. Average test result value on March 2017. Consult specific product test result value before supplying.
Pruebas para las características del acabado natural realizadas sobre el producto Tattoo Oxidum Decor 120x260. Valor de media a fecha de Marzo 2017.
Consultar valor de un producto específico antes del suministro.

Cleaning And Maintenance Tips

THE FIRST CLEANING “AFTER INSTALLATION”

The most important cleaning operation is performed immediately after laying the tiles. This involves the complete removal of residues and dirt from the tile placement. An inadequate or late removal of this waste can create a cementitious layer on the tile capable of absorbing all forms of dirt. This may give the impression that the tile gets dirty when the actual problem resides in the surface film of dirt which was not removed immediately after laying. Once the grouting of the tiles is finished, it is important, while the grout is still wet, to carefully remove any excess material immediately. This can be done using a sponge and plenty of clean water, repeating this as many times as necessary. Do not perform the cleaning with metal tools, scrapers or abrasive pads. For stubborn stains, clean with alcohol and lukewarm water and rub with a clean cloth. If they do not disappear, check with the relevant technical department. Once the above mentioned washing is done, another washing should be carried out using Flow or alkaline degreasing agents, as acid washing can leave stickiness on the pavement which could help retain dirt. In areas where water is calcareous, it is convenient to dry the surface, in order to prevent the deposition of carbonates which will reduce the surfaces' gleam.

REGULAR MAINTENANCE

Many available cleaning products for general use can be used with our products. For daily cleaning, one can use detergents or degreasing products diluted in warm water, following each product's instructions. It is important that the cleaner does not have oil, animal fat, or soap base. These components may leave an invisible residue whilst absorbing dirt (lime stratifications detergent or residues). It is also important that the tile receives a thorough rinsing with clean water after the cleaning process is complete.The low water absorption and high standards met by all porcelain tiles ensure a product which is easy to maintain. Our products do not require the use of sealants or waxes. These superficial coatings can really affect the performance of the tile in a negative manner. It is important to note that hydrofluoric acid (HF) and derivatives can irreparably damage the tile.

The general steps for regular cleaning of our ceramic products can be summarized as follows:

- Remove any solid or liquid waste from the tile, sweeping with a soft bristle broom or vacuuming.
 - Clean up liquid spills as soon as possible with lukewarm water.
 - Apply the recommended amount and dilution of the cleaner for the tile (follow the cleaner manufacturer's instructions). The wiper must remain in the tile a minimum period of 5 minutes.
 - For unpolished tiles, scrub with a nylon sponge or soft bristle brush. A floor machine equipped with a nylon pad or bristle brush can be used for heavily soiled surfaces. For polished tiles, clean with a nonabrasive cloth.
 - Remove the dirty cleaning solution and water with a vacuum cleaner or cloth. Rinse the porcelain tile with clean water and remove again with a vacuum cleaner, mop or towel. It is absolutely essential that all detergent residues are removed completely from the tile. Any remaining detergent that dries on the tiles surface can form a coating that can trap dirt and be very difficult to remove. The tile should be rinsed several times to remove all detergent residues.
- During use, the cleaning of the tiles should be similar to window cleaning. Ammonia and even bleach type products can be employed, but both must be diluted in water.

In case of special stains and/or particularly resistant, it is advisable to use specific detergents according to the cleaners' manufacturer. Do not forget that removing any type of stain is easier when it is still fresh.

It is important to always do a pre-test the detergent products result on a small sample of the porcelain.

TILES WITH METALLIC EFFECTS - PVD

This type of tiles require following these recommended guidelines, shown below, for cleaning:

- In general, you can use any non-aggressive and neutral pH product.
- In general, we recommend the use of ammonia-based products (NH3) diluted in water, never directly on the piece.
- You cannot use chemically aggressive products.
- You cannot use products with hydrochloric acid (HCl). The remaining acid products should be used with caution in very diluted concentrations.
- Citric acid and other acidic food products leave stains if left too long to act on the tile. They must be removed as soon as possible.
- The use of powder products of abrasive action is not recommended.

Consejos De Limpieza Y Mantenimiento

LA PRIMERA LIMPIEZA DESPUÉS DE LA COLOCACIÓN

La operación de limpieza más importante se lleva a cabo inmediatamente “después de la colocación de la baldosa”. Esto implica la eliminación completa de los residuos de lechada y de la suciedad de la colocación de las propias baldosas. Una eliminación inadecuada o tardía de estos residuos puede crear sobre la baldosa una película cementosa capaz de absorber toda forma de suciedad, dando la impresión que se ensucia la baldosa, cuando el problema está en la película superficial de suciedad. Una vez efectuado el rejuntado de las baldosas, es importante cuando el material de rejuntado todavía está fresco, eliminar el material sobrante cuidadosa e inmediatamente, utilizando para ello una esponja y agua limpia abundante, repitiendo esta operación tantas veces como sea necesario. No debe realizarse la limpieza del material con espátulas metálicas ni estropajos abrasivos. En el caso de manchas resistentes, limpiar con alcohol y agua caliente y frotar con un paño limpio. Si no desaparecen, consultar con el departamento técnico correspondiente. Una vez efectuado el lavado mencionado arriba, deberá efectuarse un lavado básico o alcalino utilizando detergentes desengrasantes, ya que el lavado ácido puede dejar una untuosidad sobre el pavimento que podría contribuir a retener la suciedad. En aquellas zonas donde el agua sea calcárea conviene secar la superficie para evitar la deposición de carbonatos que disminuyen el brillo superficial.

EL MANTENIMIENTO REGULAR

Muchos productos de limpieza de uso general que están disponibles son aceptables para el uso en nuestros productos. Se puede emplear para la limpieza diaria detergentes o desengrasantes diluidos en agua caliente, según indicaciones del envase del limpiador. La densidad inherente y baja absorción de agua de todos los productos aseguran un producto que es fácil de mantener.

Es muy importante tener en cuenta que el ácido Fluorhídrico (HF) y derivados pueden dañar irremediablemente la baldosa.

Los pasos generales de limpieza regular para nuestros productos cerámicos se pueden resumir del siguiente modo:

- Retirar cualquier residuo sólido o líquido de la baldosa, barriendo con una escoba de cerdas suaves o pasar la aspiradora.
- Limpiar los derrames líquidos tan pronto como sea posible.
- Aplicar la cantidad y dilución del limpiador recomendadas para la baldosa (ver indicaciones del fabricante del limpiador). El limpiador deberá permanecer en la baldosa un periodo mínimo de tiempo de 5 minutos.
- Para baldosas sin pulir, frotar con una esponja de nylon o un cepillo de cerdas suaves. Para superficies muy sucias puede usarse una máquina de piso equipado con una almohadilla de nylon o con un cepillo de cerdas. Para baldosas pulidas , limpie con un trapo no abrasivo o un paño.
- Retirar la solución de limpieza sucia y el agua con una aspiradora o un trapo. Enjuague la pieza con agua limpia y retire de nuevo con una aspiradora, fregona, o una toalla. Es absolutamente esencial para todos los residuos de detergente que se eliminen por completo de la baldosa. Cualquier resto de detergente que se seque sobre la baldosa puede formar un recubrimiento que puede atrapar la suciedad y será muy difícil de eliminar. La baldosa debe enjuagarse varias veces para eliminar todos los residuos de detergente.

Durante su uso, la limpieza de la baldosa debe hacerse de forma similar a la limpieza de cristales. Se puede emplear productos de tipo amoniacal e incluso lejía, ambos diluidos en agua.

En caso de manchas particulares y/o especialmente resistentes, es aconsejable usar detergentes específicos según especificaciones del fabricante del limpiador. No hay que olvidar que la eliminación de cualquier tipo de mancha resulta más fácil cuando ésta todavía está fresca.

Es importante hacer siempre una prueba previa antes de usar los productos detergentes.

BALDOSAS CON EFECTOS METÁLICOS / PVD

En este tipo de baldosas por su especificidad se recomienda seguir las siguientes pautas de limpieza:

- En general, se puede usar cualquier producto no agresivo y con PH neutro.
- En general, se recomienda el uso de productos con base amoniacal (NH3) en concentración rebajada, nunca directamente sobre la pieza.
- No se pueden usar productos agresivos químicamente.
- No se puede usar productos con ácido clorhídrico (HCl). El resto de productos ácidos deben usarse con precaución en concentraciones muy rebajadas.
- El ácido cítrico y otros productos alimentarios ácidos dejarán mancha si se les deja actuar mucho tiempo sobre la baldosa.
- No está recomendado el uso de productos en polvo de acción abrasiva.

Fixing Tips

CARE TO BE TAKEN DURING THE CONSTRUCTION

Our ceramic products can be considered as a final finish in the construction process, so it is advisable to be laid only when the rest of the building works are complete (structures, masonry, flooring, ceilings...); specially the flooring. This will minimize the collateral damage that sometimes occurs when the product is being placed too soon.When porcelain tiles are placed before the end of the construction, one must take special care to protect the piece until the works are finalized.

PRE-FIXING ISSUES

- Upon receiving porcelain tiles it is essential to check if the tone, size and quality meet the required standards in advance, as well as assuring the lack of any visible surface defects. In case of facing any problems, our technical team will be able to study these when informed before laying the product.
- One must choose the proper tools for laying ceramic products (serrated edged comb, rubber mallet, suction cups, spreaders and clamps for laying, jointing rubber float, ...)
- Mix pieces from different boxes.

SUPPORT BASE PREPARATION

The support base for wall or floor for the tiles must be stable, dry, flat and it must have the adequate consistency. This base must never be too hot nor too cold and should be clean. One must not forget to clean any dust, grease or oil leftovers to facilitate an optimal adhesion.It is convenient to use slightly rough support bases, altering any excessively smooth leveling layer, in order to ensure greater adherence.

ADHESIVE CHOICE

The type of adhesive will be determined by the water absorption of each type of tile. In our case, it is advisable to employ the technique of placing a thin layer of cement adhesive of type C2.For formats larger than 30x30cm, we recommend the double-layer-adhesive. This technique involves the appliace of adhesive on the support base as well as on the tile; this technique is strongly recommended for outdoors.The bonding material must be applied with serrated edged comb to achieve a homogeneous adhesive distribution throughout the laying surface, even in the corners of the tile. A non-uniform adhesive layer will cause tensions on the tile, which will create an “eyebrow” effect. It is advisable to follow the instructions of the adhesives manufacturer, particularly for different cement-based bonding materials.

TILE INSTALLATION

The previous handling of the tiles, especially the rectified, must be done with utmost care to avoid scratches or chipping of the tiles. During the fixing process, the surface shall not be marked by graphite materials (pencils) or permanent markers, especially in the case of polished products to avoid potential cleaning problems. In the placement of tiles the use of at least 2mm spreaders is advisable. For locked placement, it is advisable to fix at a distance from 1/3 of the piece, never at half of the piece. In large format porcelain pieces (over 60cm of any of its sides) it is convenient to use leveling clips to ensure the flatness of the pieces (such as the Raimondi leveling system, although there may be other manufacturers recommended in the market).Ç

JOINTS AND GROUTS

The main functions of installation joints are: to absorb deformations of the support, to increase surface adhesion between the parts and the bonding material, and to improve the impermeability of the surface. It is necessary to respect the indications given below:

- Structural joints:** the construction project already takes into account the existence of these joints in the floor coverings. These must also abide when covering the joint with plastic trims.
- Perimeter joints:** it is always appropriate to provide these joints that isolate the tile and bonding material from any structural movements, avoiding tensions with them. Perimeter joints are normally hidden by the skirting board or the tile itself; they must have a width of 5 to 10 mm, and may be empty or filled with deformable material.
- Expansion joints:** allow deformations due to thermal and hygroscopic variations between tiles between the bonding material and the support base. Usually designed with a width of 5-8 mm and surfaces from 25 m2 (in sections of 5x5 m2) indoor and surfaces from 9 m2 (in sections of 3x3 m2) outdoors. These joints must be well executed, this means that they must be flexible, waterproof, well bonded and must reach the base support.
- Installation joints:** those between tiles. Before grouting these must be empty, without any bonding materials. It is not recommended to fix any floor without joints, advising a minimum joint of 2-3 mm The grout used in installation joints must be applied with a rubber float. The market offers a wide range of grouts, which are suitable for each type of tile and temperature as specified by the manufacturer of the grout, in which the type of product to be used, colors and waiting time before grouting should be recommended.

Before grouting, it is advisable to test a small area of the part to determine whether the chosen grout affects or stains the surface of the piece. In this case, one should contact the grout manufacturer. Ask the manufacturer for a suitable cleaner for this type of grip material. A bonding material with a thin granulometry is desirable in order to avoid scratches on the tile during its placement.

Consejos De Colocación

CUIDADOS A SEGUIR DURANTE LA CONSTRUCCIÓN

Nuestros productos se pueden considerar acabados finales en la construcción, por ello es recomendable ser colocados sólo cuando el resto de los trabajos constructivos hayan finalizado (estructuras, mampostería, solados, techos, instalaciones,...) y en especial los productos porcelánicos para suelos. De este modo se minimizarán los daños que pueden experimentar el producto cerámico por haber sido colocados demasiado pronto. Cuando los productos porcelánicos son colocados antes de finalizar la construcción hay que tener especial cuidado para proteger la pieza hasta que se ponga en servicio normal de utilización.

CUESTIONES PREVIAS A LA COLOCACIÓN

•Al recibir los productos cerámicos es importante previamente comprobar si el tono, calibre y calidad son los requeridos, así como la existencia de defectos superficiales visibles.

•Hay que elegir las herramientas y útiles adecuados para la colocación de los productos cerámicos (llana metálica dentada, maza de goma, ventosas, crucetas y grapas para la colocación, llana de goma para rejuntar, ...)

•Hay que mezclar piezas de varias cajas.

PREPARACIÓN DEL SOPORTE

El fondo o soporte para pared o suelo sobre el que se colocarán las baldosas debe estar estable, seco, nivelado o aplomado con la consistencia adecuada, no debiendo estar ni helado ni excesivamente caliente y limpio sin restos de polvo, grasa o aceite. Es conveniente disponer de soportes rugosos alterando los soportes excesivamente lisos o la propia capa de nivelación ligeramente para garantizar mayor adhesión.

ELECCIÓN DEL ADHESIVO

La elección del tipo de adhesivo vendrá determinada por la absorción del agua de cada tipo de baldosa. En nuestro caso, se aconseja emplear la técnica de colocación en capa fina con el uso de Adhesivos Cementosos tipo C2. Para grandes formatos superiores a 30x30cm, se recomienda la técnica de colocación de doble encolado, esto es, aplicar adhesivo sobre el soporte y en la baldosa, en especial en exteriores.

El material de agarre debe aplicarse con una llana dentada para conseguir una distribución del adhesivo homogénea por toda la superficie de colocación incluso en las esquinas de la baldosa, presionando la baldosa sobre el adhesivo todavía fresco. De no ser uniforme la capa de adhesivo provocará tensiones en la baldosa que generan a la larga el efecto “ceja”. Es conveniente seguir las instrucciones del fabricante de adhesivos, en especial para los soportes diferentes de base cementosa.

COLOCACIÓN DE LAS BALDOSAS

La manipulación previa de las baldosas, en especial las rectificadas, ha de realizarse con el máximo cuidado, para evitar despuntados, rayas o desconchados en su superficie. Durante la colocación, no deberá marcarse la superficie de utilización del material con lápices (grafito) o rotuladores indelebles, especialmente en el caso de los productos pulidos para evitar posibles problemas de limpieza de los mismos. En la colocación de las baldosas se recomiendo el uso de crucetas de al menos 2 mm. En colocación trabada es aconsejable la colocación a una distancia de 1/3 de la pieza, nunca a la mitad de la pieza. En pavimentos de grandes formatos (mayores de 60 cm en alguno de sus lados) es conveniente el uso de grapas de colocación para garantizar la planitud de las piezas (se recomienda el modelo de la marca RAIMONDI, aunque puede haber otros fabricantes en el mercado).

LAS JUNTAS Y REJUNTADOS

Las principales funciones de las juntas de colocación son: absorber deformaciones del soporte, aumentar la superficie de adherencia entre las piezas y el material de agarre, y mejorar la impermeabilidad de la superficie. Es conveniente respetar las juntas que se indican a continuación:

•**Juntas estructurales:** el proyecto constructivo ya tiene prevista la existencia de estas juntas en el solado que se deben respetar también al colocar las baldosas y éstas se deben recubrir con materiales deformables.

•**Juntas perimetrales:** siempre es conveniente prever estas juntas que aíslan la baldosa y al adhesivo de los movimientos de otros elementos estructurales constructivos como paredes-suelos, pilares o puertas-ventanas, evitando tensiones con ello. Normalmente quedan ocultas por el rodapié o la propia baldosa, deben tener una anchura de 5 a 10 mm, y pueden quedar vacías o rellenas de material deformable.

•**Juntas de dilatación:** permiten las deformaciones por variaciones térmicas e higroscópicas entre baldosas, adhesivo y soporte. Normalmente se diseñan con una anchura mínima de 5 a 8 mm y en superficies a partir de 25 m2 (en paños de 5x5 m2) en interiores y en superficies a partir de 9 m2 (en paños de 3x3 m2) en exteriores. Estas juntas deben estar bien ejecutadas, esto es, ser flexibles, impermeables, bien adheridas y llegar hasta el soporte base.

•**Juntas de colocación:** son las existentes entre baldosa y baldosa. Antes del rejuntado estas juntas deben estar vacías, por tanto sin materiales de agarre de la construcción. Se desaconseja una colocación a junta unida o a “testa” aconsejándose una junta mínima de 2-3 mm.

El material de rejuntado que se utiliza en las juntas de colocación se debe aplicar con una llana de goma. En el mercado existe una amplia gama de materiales de rejuntado, que se adecua a cada tipo de baldosas y ambiente según especificaciones del fabricante del material de rejuntado en las que se debe recomendar el tipo de producto a emplear, colores y tiempo de espera hasta el comienzo del rejuntado. Antes del rejuntado, es conveniente probar en un área pequeña de la pieza para determinar si la lechada elegida decolora o mancha la superficie de la pieza, en cuyo caso hay que contactar con el fabricante del material de rejuntado. Pedirle al fabricante del rejunte un limpiador adecuado para este tipo de material de agarre. Es conveniente que la granulometría del material de rejuntado sea fina, para evitar posibles rayas en la baldosa en su colocación.

General Conditions Of Sale

1. REGULATIONS FOR CONTRACTING

The general conditions of sale here detailed, except for any possible modifications or exceptions agreed in writing, shall govern all sale contracts concluded between APAVISA PORCELANICO S.L (hereinafter the Seller) and the Buyer. Any variations of the general conditions of sale, offers, transactions, credits or discounts, agreed by the Agents or other intermediaries of the Seller, will not be considered valid without the written confirmation of staff at the Seller's Head Office.

2. PURCHASE AND SUPPLY ORDERS

Only purchase orders received in writing will be valid, these being subject to the acceptance of the Seller by Order Confirmation. The supply shall include only the services, materials and quantities specified in the Order Confirmation or in other written communications by the Seller. Should there be any differences in the request for order or Purchase Order, the Order Confirmation or pro forma invoice is to be considered the only valid document. A Partial Confirmation of the Order communicated in writing by the Seller means that the approval is partial and does not entail or imply confirmation of the rest of the requested order.

3. DELIVERY

Unless expressly agreed otherwise, the place of loading and the terms of sale of the Seller shall be indicated in the invoice and the delivery conditions will be "Ex Works" according to the INCOTERMS rules of the International Chamber of Commerce. In any case, the full responsibility for deterioration, breakage or loss of product during the loading and transportation shall be borne by the Buyer. The buyer must verify the integrity of the merchandise within a maximum period of 24 hours from receipt. Any broken or missing material communicated subsequently shall be understood as neither attributable to nor the responsibility of the Seller. The costs for the return of the merchandise due to any errors or causes beyond the responsibility or control of the Seller, shall be fully borne by the Buyer.

4. DELIVERY TERMS

The delivery term shall be agreed by the contracting parties. Provided that special clauses have not been included, the delivery term will be for information purposes only and will not be understood as mandatory or a binding condition. Any event of force majeure will interrupt the delivery term while the event lasts. If, as a result of force majeure, the contract cannot be executed within 60 days of the date agreed upon, each party shall be entitled to terminate the contract. In such case, the declaration of termination must be sent to the other party by registered letter with return receipt within 10 days from the expiry of said period of 60 days, excluding any reciprocal rights to compensation or reparation of damages suffered.

5. PRICES AND PAYMENTS

The valid price will be established by the Seller' in the corresponding invoice. The place of Payment is set at the Seller's registered address in Spain. Payment shall be made in the manner and the terms established by the Seller in the invoice for the sale of the merchandise. The delay in the payment of the invoices issued, even if it were partial, exceeding the agreed maturity, will immediately accrue a default interest, calculated according to the legal interest of the money calculated annually in Spain with an increase of 6 Flow points. In addition, the non-payment or delay in the payment of all or part of the invoices - whatever the reason - will entitle the Seller to request the advance payment for the outstanding supplies and / or to proceed with the termination of the contract, which will release the latter from the obligation to comply with other possible contractual obligations, and will be likewise entitled to cancel the supply of other possible pending orders, without the Buyer being able to request any type of compensation from the Seller.

6. GUARANTEE

The materials supplied meet the quality requirements established in the current standards EN-14411 and UNE-EN-ISO 10545. Quality assurance is limited to first quality materials, with a maximum allowable tolerance of approximately 5% (five percent). Any guarantee in respect of defects in second or third quality materials or special sale lots is expressly excluded. Any claims for defects shall be necessarily notified by registered letter sent to the Seller's registered office, made before the material is mounted and, in any case, within 10 days from receipt of the material. Any claims of installed material will not be accepted. Any claims for visible or hidden defects will not be valid once the material has been installed and the Guarantee will be automatically invalidated. It is the Buyer's responsibility to check that the material is in perfect condition before installing it. The Guarantee includes only the cleaning and / or repair of material and, failing that, the return of the material with manufacturing defects, which do not comply with the current technical standards EN-14411 and UNE-EN-ISO 10545, excluding any other obligation of the Seller. The Quality Guarantee will cover any defects of the material, exclusively when these are derived from the manufacturing process. Likewise, the Seller is exempt from liability arising from any deficiencies or defects of the product due to other causes, besides the manufacturing process. Any possible claims on the material will not give the Buyer any right to interrupt or delay, totally or partially, the payment that will have to be made within the established deadlines.

7. ARBITRATION CLAUSE

Any dispute arising in respect of the product of the Seller and the guarantee thereof, including, without limitation, any damages that are not solved amicably between the parties, shall be submitted to arbitration. The arbitration proceedings will be held before an arbitrator. The arbitration proceedings will be conducted in accordance with the rules and regulations of the Court of Arbitration, located in the Chamber of Commerce of Castellón (Spain). All parties unconditionally accept the provisions of this paragraph.

8. PROHIBITION TO EXPORT

Except in the case of other specific agreements, the Buyer shall not export the materials supplied by our Company, or transfer them to any companies or individuals for the purpose of exportation.

9. VALIDITY OF GENERAL CONDITIONS OF SALE

The aforementioned general conditions of sale are an integral part of the sale agreement and to all effects are binding for the Seller and the Buyer, moreover they faithfully represent the contractual will of the parties. The Buyer declares his specific approval. The confirmation of the Order or Pro forma invoice by the Buyer, implies the acceptance of the general conditions of sale.

APAVISA PORCELÁNICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L. All features and specifications are based on information available at the time of printing this folder and may be changed without notice, according to market conditions, technological innovations and/or any other factor, without incurring any liability.

Condiciones Generales De Venta

1. REGLAMENTACIÓN PARA CONTRATAR

Las condiciones generales de venta aquí detalladas, excepto las posibles modificaciones o excepciones acordadas por escrito, regirán todos los contratos de venta celebrados entre APAVISA PORCELANICO S.L (en adelante, el Vendedor) y el Comprador. Cualquier variación de las condiciones generales de venta, ofertas, transacciones, créditos o descuentos, acordados por los Agentes u otros intermediarios del Vendedor, no se considerarán válidos sin la confirmación por escrito del personal de la Oficina Central del Vendedor.

2. PEDIDOS DE COMPRA Y SUMINISTRO

Solo las órdenes de compra recibidas por escrito serán válidas, y estarán sujetas a la aceptación del Vendedor mediante la Confirmación de la Orden. El suministro incluirá solo los servicios, materiales y cantidades especificados en la Confirmación del pedido o en otras comunicaciones escritas por parte del Vendedor. Si hubiera alguna diferencia en la solicitud de pedido o en la Orden de compra, la confirmación del pedido o la factura pro forma se considerarán el único documento válido. Una confirmación parcial del pedido comunicada por escrito por el vendedor significa que la aprobación es parcial y no implica ni implica la confirmación del resto del pedido solicitado.

3. ENTREGA

A menos que se acuerde expresamente lo contrario, el lugar de carga y los términos de venta del Vendedor se indicarán en la factura y las condiciones de entrega serán "Ex Works" de acuerdo con las reglas de INCOTERMS de la Cámara de Comercio Internacional. En cualquier caso, la responsabilidad total por el deterioro, rotura o pérdida del producto durante la carga y el transporte correrá a cargo del Comprador. El comprador debe verificar la integridad de la mercancía dentro de un periodo máximo de 24 horas desde la recepción. Cualquier material roto o faltante comunicado posteriormente se entenderá como no atribuible ni responsabilidad del Vendedor. Los costos de la devolución de la mercancía debido a cualquier error o causas ajenas a la responsabilidad o control del Vendedor, correrán a cargo del Comprador.

4. TÉRMINOS DE ENTREGA

El plazo de entrega será acordado por las partes contratantes. Siempre que no se hayan incluido cláusulas especiales, el plazo de entrega será solo para fines informativos y no se entenderá como obligatorio ni obligatorio. Cualquier evento de fuerza mayor interrumpirá el plazo de entrega mientras dure el evento. Si, como resultado de fuerza mayor, el contrato no puede ejecutarse dentro de los 60 días de la fecha acordada, cada parte tendrá derecho a rescindir el contrato. En tal caso, la declaración de terminación debe enviarse a la otra parte por carta certificada con acuse de recibo dentro de los 10 días posteriores a la expiración de dicho periodo de 60 días, excluyendo cualquier derecho recíproco de compensación o reparación de daños sufridos.

5. PRECIOS Y PAGOS

El precio válido será establecido por el Vendedor en la factura correspondiente. El lugar de pago se establece en la dirección registrada del vendedor en España.El pago se realizará de la manera y los términos establecidos por el Vendedor en la factura por la venta de la mercancía. El retraso en el pago de las facturas emitidas, incluso si fuera parcial, superando el vencimiento acordado, devengará inmediatamente un interés de demora, calculado de acuerdo con el interés legal del dinero calculado anualmente en España con un aumento de 6 puntos básicos. Además, la falta de pago o la demora en el pago de la totalidad o parte de las facturas, sea cual sea el motivo, dará derecho al Vendedor a solicitar el pago por adelantado de los suministros pendientes y / o proceder con la terminación del contrato, que eximirá a este último de la obligación de cumplir con otras posibles obligaciones contractuales, y también tendrá derecho a cancelar el suministro de otros posibles pedidos pendientes, sin que el Comprador pueda solicitar ningún tipo de compensación al Vendedor.

6. GARANTÍA

Los materiales suministrados cumplen los requisitos de calidad establecidos en las normas actuales EN-14411 y UNE-EN-ISO 10545. El aseguramiento de la calidad se limita a los materiales de primera calidad, con una tolerancia máxima permitida de aproximadamente el 5% (cinco por ciento). Se excluye expresamente cualquier garantía con respecto a defectos en materiales de segunda o tercera calidad o lotes de venta especial. Cualquier reclamo por defectos se notificará necesariamente mediante una carta certificada enviada a la oficina registrada del Vendedor, hecha antes de que se monte el material y, en cualquier caso, dentro de los 10 días posteriores a la recepción del material. No se aceptarán reclamaciones de material instalado. Cualquier reclamo por defectos visibles u ocultos no será válido una vez que se haya instalado el material y la Garantía se invalidará automáticamente. Es responsabilidad del Comprador verificar que el material esté en perfectas condiciones antes de instalarlo. La Garantía incluye solo la limpieza y / o reparación de material y, en su defecto, la devolución del material con defectos de fabricación, que no cumplan con las normas técnicas actuales EN-14411 y UNE-EN-ISO 10545, excluyendo cualquier otra obligación del vendedor. La Garantía de Calidad cubrirá cualquier defecto del material, exclusivamente cuando se derive del proceso de fabricación. Asimismo, el Vendedor está exento de responsabilidad derivada de cualquier deficiencia o defecto del producto debido a otras causas, además del proceso de fabricación. Cualquier posible reclamo sobre el material no le dará al Comprador ningún derecho de interrumpir o retrasar, total o parcialmente, el pago que deberá realizarse dentro de los plazos establecidos.

7. ARBITRAJE

Cualquier disputa que surja con respecto al producto del Vendedor y la garantía del mismo, incluidos, entre otros, los daños que no se resuelvan amigablemente entre las partes, se someterán a arbitraje. El procedimiento de arbitraje se llevará a cabo ante un árbitro. Los procedimientos de arbitraje se llevarán a cabo de conformidad con las normas y reglamentos de la Corte de Arbitraje, ubicada en la Cámara de Comercio de Castellón (España). Todas las partes aceptan incondicionalmente las disposiciones de este párrafo.

8. PROHIBICIÓN A LA EXPORTACIÓN

Excepto en el caso de otros acuerdos específicos, el Comprador no exportará los materiales suministrados por nuestra Compañía, ni los transferirá a ninguna compañía o individuo con el propósito de exportarlos.

9. VALIDEZ DE LAS CONDICIONES GENERALES DE VENTA

Las condiciones generales de venta mencionadas anteriormente son una parte integral del acuerdo de venta y, a todos los efectos, son vinculantes para el Vendedor y el Comprador, además representan fielmente la voluntad contractual de las partes. El comprador declara su aprobación específica. La confirmación del pedido o factura pro forma por parte del comprador implica la aceptación de las condiciones generales de venta.

APAVISA PORCELÁNICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELÁNICO S.L. Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión de la presente carpeta y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.



APAVISA PORCELANICO S.L. assumes no liability for any printing errors. The technical characteristics contained in this catalog are mean values of our products. To carry out any orders that are requested consultations with the technical characteristics of the particular model to APAVISA PORCELANICO S.L.

All features and specifications are based on information available at the time of printing this catalog and may be changed without notice, according to market conditions, technological innovations and / or any other factor, without incurring any liability.

APAVISA PORCELANICO S.L. no asume ninguna responsabilidad por posibles errores de impresión. Las características técnicas que constan en el presente catálogo son valores medios de nuestros productos. Para la realización de cualquier pedido se solicita que sean consultadas las características técnicas del modelo en concreto a APAVISA PORCELANICO S.L.

Todas las características y especificaciones técnicas están basadas en la información disponible en el momento de la impresión del presente catalogo y podrán ser modificadas sin previo aviso, de acuerdo a las circunstancias del mercado, innovaciones tecnológicas y/o cualquier otro factor, sin incurrir en ningún tipo de responsabilidad.



www.apavisa.com

Ctra. Castellón – San Juan de Moró, hm.7,5 - 12130 SAN JUAN DE MORÓ (Castellón) Spain
Tel. +34 964 701 120 - Export Fax +34 964 701 067 - Fax Nacional 964 701 195 - info@apavisa.com

